

# phoenix

SAFE COMPANY LIMITED



Your Dealer

**ALPHA** ✓  
OFFICE SOLUTIONS LTD

Contact us today for pricing:

0121 707 4967

sales@alphaoffice.co.uk

[www.alphaoffice.co.uk](http://www.alphaoffice.co.uk)

LOGIN REQUIRED FOR DISCOUNTED PRICING

Office A11, Bizspace Business Park, Birmingham, B11 2AL  
VAT REG 922 2384 42 COMPANY REG: 6430214

## PRODUCT GUIDE

*Phoenix Safe Company where peace of mind is guaranteed*

<b>LUXURY SAFES</b>	
LS6000 SERIES	- SPECTRUM ..... 3
LS6010 SERIES	- SPECTRUM PLUS ..... 4
LS7000 SERIES	- NEXT LUXURY SAFE ..... 5
LS8000 SERIES	- PALLADIUM LUXURY SAFE ..... 6
<b>FIRE SAFES</b>	
FS1280 SERIES	- TITAN ..... 7
FS1290 SERIES	- TITAN AQUA ..... 8
FS1300 SERIES	- TITAN FIRE AND SECURITY ..... 9
FS0440 SERIES	- FIRE FIGHTER ..... 10
FS1510 SERIES	- FIRE RANGER ..... 11
FS1550 SERIES	- FIRE RANGER PRO ..... 12
SS1620 SERIES	- FIREFOX ..... 13
FS1910 SERIES	- FIRE COMMANDER ..... 14
FS1920 SERIES	- FIRE COMMANDER PRO ..... 15
<b>FIRE FILES</b>	
FS2230 SERIES	- ARCHIVO FIRE FILE ..... 16
FS2250 SERIES	- WORLD CLASS VERTICAL FIRE FILE ..... 17
FS2270 SERIES	- WORLD CLASS VERTICAL FIRE FILE ..... 18
FS2410 SERIES	- WORLD CLASS LATERAL FIRE FILE ..... 19
<b>DATA SAFES</b>	
DS2000 SERIES	- DATACARE ..... 20
DS2500 SERIES	- DATA COMBI ..... 21
DS4620 SERIES	- DATA COMMANDER ..... 22
DS4650 SERIES	- MILLENNIUM DUPLEX ..... 23
<b>BATTERY STORAGE</b>	
790+LI SERIES	- TARTARUS LITHIUM ION BATTERY STORAGE ..... 24
<b>SECURITY SAFES</b>	
SS0721 SERIES	- COMPACT HOME & OFFICE SAFES ..... 25
DREAM SERIES	- HOME SAFES ..... 26
SS0800 SERIES	- VELA HOME & OFFICE SAFES ..... 27
SS0300 SERIES	- DIONE HOTEL & LAPTOP SAFES ..... 28
SS1160 SERIES	- SECURSTORE ..... 29
SS1180 SERIES	- FORTRESS ..... 30
SS1440 SERIES	- FORTRESS PRO ..... 31
<b>HIGH SECURITY SAFES</b>	
HS0670 SERIES	- VENUS ..... 32
HS1050 SERIES	- NEPTUNE ..... 33
HS2050/HS3550 SERIES	- MERCURY/ELARA ..... 34
HS6070/HS9070 SERIES	- PLANET/COSMOS ..... 35
<b>VAULTS</b>	
HYPERION SERIES	- DEMOUNTABLE STRONG-ROOMS & VAULT DOORS ..... 36
<b>SAFETY DEPOSIT LOCKERS</b>	
PANDORA SERIES	- SAFETY DEPOSIT LOCKERS ..... 37
<b>DEPOSIT SAFES</b>	
SS0800KD/ED SERIES	- VELA DEPOSIT HOME & OFFICE SAFES ..... 38
SS0991	- UNDER COUNTER NOTE DEPOSIT SAFE ..... 39
SS0992	- CASHIER DAY DEPOSIT SAFE ..... 39
SS0990 SERIES	- CASHIER DEPOSIT ..... 40
HS1090 SERIES	- DIAMOND DEPOSIT ..... 41
<b>UNDERFLOOR SAFES</b>	
UF0600 SERIES	- TARVOS - UNDERFLOOR SAFES (SQUARE DOOR) ..... 42
UF0900 SERIES	- CHARON - UNDERFLOOR SAFES (ROUND DOOR) ..... 43
<b>GUN SAFES</b>	
GS8000 SERIES	- LACERTA GUN SAFES ..... 44
GS8015 SERIES	- TUCANA GUN SAFES ..... 45
<b>KEY &amp; CASH BOXES</b>	
CB0100 SERIES	- CASH BOXES ..... 46
KC0020 SERIES	- KEY BOXES ..... 46
KS SERIES	- KEY STORE ..... 47
KS0210 SERIES	- PALM ..... 48
KS0030 SERIES	- CYGNUS KEY DEPOSIT SAFES ..... 49
KC0600 SERIES	- COMMERCIAL KEY CABINETS ..... 50
KC0300 SERIES	- DEEP KEY CABINETS ..... 51
KC0500 SERIES	- DEEP PLUS & KEY PADLOCK CABINETS ..... 51
KC0070 SERIES	- EXTRA SECURITY KEY CABINETS ..... 52
KC0080 SERIES	- KEY CONTROL CABINETS ..... 53
<b>LETTER BOXES</b>	
MB0120 SERIES	- ESTILO LETTER BOXES ..... 54
MB SERIES	- TOP-LOADING LETTER BOXES ..... 55
MB SERIES	- FRONT-LOADING LETTER BOXES ..... 55

## TEST SPECIFICATIONS

**FIRE TEST STANDARDS** – The fire test standards below require that the critical maximum temperature of the following media cannot be exceeded (a) Paper Records – 175°C (b) Digital Media – 120°C (c) Computer Data – 52°C.

**NT FIRE 017-60 Paper** – Requires safe to be heated to 945°C for 1 hour. The maximum temperature inside the cabinet shall not exceed 175°C.

**NT FIRE 017-90 Paper** – Requires safe to be heated to 1050°C for 90 minutes. The maximum temperature inside the cabinet shall not exceed 175°C.

**NT FIRE 017-120 Dis** – Requires safe to be heated to 1090°C for 2 hours. The maximum temperature inside the cabinet shall not exceed 52°C.

**NT FIRE 017-120 Paper** – Requires safe to be heated to 1090°C for 2 hours. The maximum temperature inside the cabinet shall not exceed 175°C.

**EN1047-120 Dis** – Requires safe to be heated to over 1100°C for 2 hours. Internal temperature shall not exceed 52°C.

**EN1143-1** – The European norm for resistance to burglary attack with various resistance grades up to Grade 10.

**EN14450-S1** – The European norm for resistance to burglary attack. Grade S1.

**EN14450-S2** – The European norm for resistance to burglary attack. Grade S2.

**LFS 30P, LFS 60P-EN 15659** – Light Fire Resistance where the internal temperature will not exceed 175°C.

**MTC DIP 120-60DM (Grade B)** – Digital Media fire protection where the internal temperature will not exceed 120°C.

**BS 7558:1992 Specification for gun cabinets**  
Requirements for the construction and security of cabinets intended for the secure storage of firearms and ammunition.

### WARRANTY/INSURANCE

All phoenix Fire safes come with a free lifetime 'after the fire' replacement warranty and a full 2 year onsite materials and labour warranty. A lifetime warranty applies to KS Series Key Stores. All letter boxes have a 5 year guarantee. A 1 year onsite materials and labour warranty applies to the UF Series. A 2 year onsite materials and labour warranty applies to SS1160/80, SS0990, HS Series. All other products have a 1 year back to base warranty.

Insurance cover against burglary attack will vary due to location and circumstances. Please check with your underwriter.



**RECOMMENDED INSURANCE RATINGS**  
Cash rating shown  
- multiply by 10 for valuables



**ELECTRONIC LOCK**



**KEYLOCK**



**FINGERPRINT LOCK**



**MECHANICAL LOCK**



**COMBINATION LOCK**



**ALARM**



**SUITABLE FOR 17" LAPTOP**



**WATER RESISTANT**



**DROP TESTED**



**LIFETIME AFTER FIRE REPLACEMENT WARRANTY**



**Additional locking options available**

# LS6000 SERIES SPECTRUM



LS6001ER

## 9 COLOUR OPTIONS



**THE PHOENIX SPECTRUM** is an ultra-modern safe designed to protect documents and valuables from fire and theft. The Spectrum's effortlessly attractive design is available with a range of changeable coloured door panels, allowing you to choose a colour to compliment any interior.

- **FIRE PROTECTION (PAPER)** – Tested to the International NT Fire 017-60 fire test standard, at the Swedish SP Testing Centre providing 60 minutes fire protection for paper documents.
- **FIRE PROTECTION (DIGITAL MEDIA)** – Tested to MTC DIP120-60DM fire test standard, providing 60 minutes fire protection for digital media, DVD's, USB's, memory sticks and hard drives.
- **LOCKING** – Fitted with an advanced user friendly motorised electronic lock with dual control, multi user control and scrambled code features.
- **SECURITY PROTECTION** – Recommended overnight cash risk of £2,000 or £20,000 valuables\*.
- **DROP TEST** – Drop tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building or the collapse of the building.
- **FIXING** – Ready prepared for floor fixing with fixing bolts for concrete supplied.
- **LIGHTING** – Fitted with a bright LED interior light so the contents can be easily seen.
- **SPECIAL FEATURES** – Supplied with four internal key hooks, a pull out drawer and a height adjustable shelf.
- **COLOUR** – The Spectrum is finished in a high quality scratch resistant dark grey, with interchangeable door panels available in 9 colours.

### CHANGEABLE DOOR PANELS



MODEL NUMBER	PANEL COLOUR	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	CAPACITY	SHELVES / DRAWERS / INTERNAL KEY HOOKS
LS6001E	<span style="color:red">●</span> <span style="color:orange">●</span> <span style="color:yellow">●</span> <span style="color:green">●</span> <span style="color:blue">●</span> <span style="color:pink">●</span> <span style="color:grey">●</span> <span style="color:lightgrey">●</span> <span style="color:cream">●</span> <b>R O Y G B P DG LG C</b>	515 x 405 x 470mm	410 x 300 x 300mm <sup>+</sup>	410mm	60kg	36 Litres	1/1/4

<sup>+</sup> Internal drawer reduces internal height by 50mm



\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



LS6012FB



LS6011FS


3 COLOUR OPTIONS



Titanium Black (B)



Metallic Silver (S)



Champagne Gold (G)

**THE PHOENIX SPECTRUM PLUS LS6010 SERIES** is an ultra-modern safe designed to protect documents and valuables from fire and theft. The Spectrum Plus's effortlessly attractive design is available with a range of coloured, brushed stainless steel door panels, allowing you to choose a colour to complement any interior.

- **FIRE PROTECTION (PAPER)** – Tested to the Swedish NT Fire 017-60 Paper (LS6011F), NT Fire 017-90 Paper (LS6012F) providing up to 90 minutes fire protection for paper documents.
- **FIRE PROTECTION (DIGITAL MEDIA)** – Tested to MTC DIP120-60DM fire test standard, providing 60 minutes fire protection for digital media, DVD's, USB's, memory sticks and hard drives.
- **LOCKING** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, dual control, multi-user control, hidden code and scrambled code that can be programmed as standard with up to 32 fingerprints.
- **SECURITY PROTECTION** – Recommended overnight cash risk of £2,000 or £20,000 valuables\*.
- **FIXING** – Ready prepared for floor fixing with fixing bolts for concrete supplied.
- **DROP TEST** – Drop tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building or the collapse of the building.
- **LIGHTING** – Fitted with a bright LED interior light so the contents can be easily seen.
- **SPECIAL FEATURES** – Supplied with four internal key hooks, a pull out drawer and a height adjustable shelf.
- **COLOUR** – The Spectrum is finished in a high quality scratch resistant dark grey, with interchangeable Stainless Steel door panels available in 3 colours.

CHANGEABLE DOOR PANELS



MODEL NUMBER	PANEL COLOUR	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	CAPACITY	SHELVES / DRAWER / INTERNAL KEY HOOKS
LS6011F	● ● ●	515 x 405 x 470mm	410 x 300 x 300mm <sup>+</sup>	410mm	60kg	36 Litres	1/1/4
LS6012F	G S B	640 x 500 x 530mm	515 x 380 x 330mm <sup>+</sup>	505mm	100kg	64 Litres	1/1/4

<sup>+</sup> Internal drawer reduces internal height by 50mm (LS6011F) and 95mm (LS6012F)



\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

# LS7000 SERIES NEXT LUXURY SAFE



LS7001FW



LS7002FO



LS7001FB



**THE PHOENIX NEXT SERIES** is a masterpiece in Design, Security and Fire Protection. Available in a range of stylish modern Oak, Black and White finishes. It also features a slide and hide lock panel for extra security. The safe is ideal for modern office and homes when the need for discreet protection is required.

- **FIRE PROTECTION (PAPER)** – Tested to the International NT Fire 017-60 Paper standard, providing 60 minutes fire protection for paper documents.
- **SECURITY PROTECTION** – The safe is recommended for an overnight cash risk of £3,000 or £30,000 valuables\*.
- **LOCKING** – Fitted with an advanced high security fingerprint and touch panel lock. The lock can store up to 128 different fingerprints. The clear LED display also makes operating the lock extremely easy. To further enhance security the lock also features tamper lockout, internal alarm, dual control, hidden code and unlimited scrambled code as standard.
- **FIXING** – Ready prepared for floor fixing with fixing bolts for concrete supplied.
- **FITTINGS** – Fitted with luxury wooden drawers, with fully lined base to protect your valuables. Additional drawers available on request to suit your own requirements.
- **SECURITY CONSTRUCTION** – The safe is locked by 3 way live locking bolts, each bolt 32mm in diameter for extra strength. Strategic points like the lock and bolts are further protected by anti-drill plates.
- **DROP TEST** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **COLOUR/FINISH** – Stylish door panels available in oak, black & white, plus slide and hide lock panel. Body finished in a high gloss black.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	CAPACITY	SHELVES/ DRAWER	LEVER ARCH FOLDER	FOOLSCAP LEVER ARCH FOLDER	FOOLSCAP BOX FILE
							(H320xW75x290mm) Total no. of file per unit	(H350xW80xD285mm) Total no. of file per unit	(H370xW75xD245mm) Total no. of file per unit
LS7001 FO/FB/FW	580 x 500 x 550mm	425 x 375 x 305mm**	450mm	107kg	47 Litres	1/1	4	4	4
LS7002 FO/FB/FW	780 x 500 x 550mm	625 x 375 x 305mm**	450mm	130kg	72 Litres	2/2	5	4	5
LS7003 FO/FB/FW	880 x 500 x 550mm	725 x 375 x 305mm**	450mm	145kg	82 Litres	2/2	10	8	5

*This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used.*

FO = Oak, FB = Black, FW = White

\*\*LS7001 – the internal drawer reduces the internal height by 124mm.

LS7002 and LS7003 – the internal drawer reduces the internal height by 200mm.



\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

# LS8000 SERIES PALLADIUM LUXURY SAFE



## 6 COLOUR OPTIONS



**THE PHOENIX PALLADIUM LS8000 SERIES** is a premium luxury safe in design and technology, offering elegance, durability and security.

- **FIRE PROTECTION** – 60 minutes fire protection for paper documents.
- **SECURITY PROTECTION** – Tested to the prestigious European S2 Security standard (EN14450 ECB.S Certified), recommended for an overnight cash risk of £5,000 or £50,000 valuables\*.
- **LOCKING** – Ergonomically designed tempered-glass touch panel keypad sensor on the top of the safe for easy opening and closing with dual control & scrambled code that can be programmed as standard, along with a fingerprint authentication system which can store up to 32 different fingerprints.
- **FIXING** – Ready prepared for floor fixing, with fixing bolts for concrete floors supplied.
- **LIGHTING** – Fitted with 6 bright LED interior lights so the contents can easily be seen when the safe is opened.
- **FITTINGS** – Supplied with 5mm thick tempered-glass height adjustable shelves and pull out drawer.
- **CONSTRUCTION** – 4 way chrome-plated 32mm diameter active locking bolts. 140mm thick Three-fold steel frame with reinforced anti-drill plates, re-locker device and built-in alarm protect the safe against attack.
- **SPECIAL FEATURES** – Dual electronic locking system. Voice guidance.
- **COLOUR** – High quality stained black body and frame with a stylish selection of Marble, Wood or Metal door finishes.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.



MODEL NUMBER	PANEL COLOUR	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	CAPACITY	SHELVES / DRAWERS
LS8001EF	N,C,W,O,G,B	910 x 550 x 555mm	660 x 390 x 360mm	453mm	215kg	92 Litres	2/1
LS8002EF	N,C,W,O,G,B	1110 x 550 x 555mm	860 x 390 x 360mm	453mm	255kg	120 Litres	3/1

Height of the internal drawer is 115mm.

This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used.

N = Marble Finish (Nero Marquina), C = Marble Finish (Calcutta Royal), W = Wood Finish (Walnut), O = Wood Finish (Smoked White Oak),

G = Metal Finish (Champaign Gold), B = Metal Finish (Titanium Black). Height includes 8mm feet. Weight may vary depending on the material of the door panel.



\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

# FS1280 SERIES TITAN FIRE AND SECURITY SAFE



FS1280F



FS1281K



FS1283



FS1282E

**THE PHOENIX TITAN** is a modern, compact, fire and security resistant safe designed to meet the need for residential and business use.

- **FIRE PROTECTION (PAPER)** – Tested to the International NT Fire 017-60 fire test standard, at the Swedish SP Testing Centre providing 60 minutes fire protection for paper documents.
- **FIRE PROTECTION (DIGITAL MEDIA)** – Tested to MTC DIP120-60DM fire test standard, providing 60 minutes fire protection for digital media, DVD's, USB's, memory sticks and hard drives.
- **LOCKING** – **FS1280K** – Fitted with a high quality key lock supplied with two keys. **FS1280E** – Fitted with an advanced high security electronic lock with scrambled code as standard. **FS1280F** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, internal alarm, dual control, hidden code and scrambled code that can be programmed as standard with up to 128 fingerprints.
- **SECURITY PROTECTION** – The safe is recommended for an overnight cash risk of £2,000 or £20,000 valuables\*.
- **DROP TEST** – Drop tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building or the collapse of the building.
- **FIXING** – Ready prepared for floor fixing, with fixing bolts for concrete floors supplied.
- **SPECIAL FEATURES** – All models are supplied with four internal key hooks and a pull out drawer. Models FS1282 & FS1283 also have the added advantage of a height adjustable shelf.
- **OPTIONAL** – Bright internal LED light to illuminate the interior of the safe (FS1280E only).
- **COLOUR** – Finished in a high quality scratch resistant white paint RAL9003.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING / HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES/ DRAWER/ INTERNAL KEY HOOKS
FS1281K/E/F	360 x 410 x 365mm	260 x 320 x 235mm	350mm/40mm	28kg	19 Litres	0/1/4
FS1282K/E/F	410 x 350 x 430mm	320 x 260 x 305mm	325mm/40mm	34kg	25 Litres	1/1/4
FS1283K/E/F	515 x 400 x 440mm	410 x 300 x 300mm	375mm/40mm	53kg	36 Litres	1/1/4

The internal drawer reduces internal height by 50mm



Optional LED Light  
(FS1280E only)



FS1280K



FS1280E



FS1280F



FS1280F



\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



FS1291E



FS1293E



FS1292E

**THE PHOENIX TITAN AQUA** is an ultra-modern and compact range of safes, designed to protect documents, digital media & valuables from fire, water and theft, ideal for residential and business use.

- **FIRE PROTECTION (PAPER)** – 1hr fire protection for paper documents.
- **FIRE PROTECTION (DIGITAL MEDIA)** – 1hr fire protection for digital media (DVD's, USB sticks & Hard Drives).
- **WATER RESISTANT** – Up to 200mm of water for 24 hours.
- **LOCKING** – Fitted with an advanced user friendly electronic lock with illuminating keypad, built-in alarm and key override facility (2 keys supplied).
- **SECURITY PROTECTION** – Recommended overnight cash risk of £2,000 or £20,000 valuables\*.
- **CONSTRUCTION** – Large 25mm live locking bolts for added protection against attack.
- **FIXING** – Ready prepared for floor fixing, with fixing bolts for concrete floors supplied.
- **LIGHTING** – Fitted with a bright LED interior light so the contents can easily be seen, even in the most dimly lit cupboards.
- **SPECIAL FEATURES** – All models are supplied with a height adjustable shelf, internal door pocket and have automatic slam shut door locking. **FS1292E** and **FS1293E** are fitted with 5 internal key hooks.
- **COLOUR** – Finished in a high quality scratch resistant black paint.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.



MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING / HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES/ DRAWER/ INTERNAL KEY HOOKS
FS1291E	355 x 470 x 480mm	220 x 330 x 325mm	305mm/47mm	36kg	24 Litres	1/0/0
FS1292E	460 x 470 x 480mm	330 x 330 x 325mm	410mm/47mm	45kg	35 Litres	1/0/5
FS1293E	610 x 530 x 480mm	475+ x 385 x 325mm	550mm/47mm	62kg	60 Litres	1/1/5

\* The internal drawer reduces internal height by 50mm



\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



# FS1300 SERIES TITAN FIRE AND SECURITY SAFE



FS1301E

FS1303

FS1304E

FS1302K

**THE PHOENIX TITAN** is a modern, compact, lightweight fire and security resistant safe designed to meet the need for residential and business use.

- **FIRE PROTECTION (PAPER)** – Tested to the International NT Fire 017-60 fire test standard, at the Swedish SP Testing Centre providing 60 minutes fire protection for paper documents.
- **LOCKING** – **FS1300K** – Fitted with a high quality key lock supplied with two keys. **FS1300E** – Fitted with an advanced high security electronic lock with scrambled code as standard.
- **SECURITY PROTECTION** – The safe is recommended for an overnight cash risk of £1,500 or £15,000 valuables\*.
- **CONSTRUCTION** – Newly developed, ultra-advanced fire insulation material, provides the lightest safe in the 1hr fire rated class.
- **FIXING** – Ready prepared for floor fixing, with fixing bolts for concrete floors supplied.
- **SPECIAL FEATURES** – All models are supplied with five internal key hooks and a pull out drawer. Models FS1303 and FS1304 also have the added advantage of a height adjustable shelf.
- **COLOUR** – Finished in a high quality scratch resistant paint RAL9003 white.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	WEIGHT	CAPACITY	DOOR SWING HANDLE DEPTH	SHELVES/ DRAWER/ INTERNAL KEY HOOKS
FS1301K/E	290 x 405 x 355mm	190 x 305 x 220mm	21kg	13 Litres	380mm/40mm	0/1/5
FS1302K/E	305 x 430 x 430mm	205 x 330 x 295mm	23kg	20 Litres	408mm/40mm	0/1/5
FS1303K/E	480 x 350 x 430mm	380 x 250 x 295mm	28kg	28 Litres	330mm/40mm	1/1/5
FS1304K/E	480 x 430 x 430mm	380 x 330 x 295mm	33kg	37 Litres	408mm/40mm	1/1/5



The internal drawer reduces internal height by 50mm



FS1300K

FS1300E

\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



**THE PHOENIX FIRE FIGHTER** sets new standards for fire and security protection and is an ideal safe for small to medium sized enterprises.

- **FIRE PROTECTION (PAPER)** – Tested to Swedish NT Fire 017-90 Paper (FS0441 & FS0442), NT Fire 017-120 Paper (FS0443), providing up to 120 minutes fire protection for paper documents.
- **FIRE PROTECTION (DIGITAL MEDIA)** – Tested to MTC DIP120-60DM fire test standard, providing 60 minutes fire protection for digital media, DVD's, USB's, memory sticks and hard drives.
- **SECURITY PROTECTION** – The safe is recommended for an overnight cash risk of £2,500 or £25,000 valuables\*.
- **DROP TEST** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **FITTINGS** – Each safe comes complete with height adjustable shelf and lockable cash/valuables drawer.
- **LOCKING** – **FS0440K** – Fitted with a high quality key lock supplied with two keys. **FS0440E** – Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard.

**FS0440F** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, internal alarm, dual control, hidden code and scrambled code that can be programmed as standard with up to 128 fingerprints.

- **FIXING** – Ready prepared for floor fixing with fixing bolts for concrete supplied.
- **SPECIAL FEATURES** – Fitted with automatic slam shut door locking.
- **COLOUR** – Finished in a high quality scratch resistant white paint RAL9003.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.



Internal Key Hooks

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING / HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES / DRAWERS / INTERNAL KEY HOOKS	LEVER ARCH FOLDER (H320xW75x290mm)	FOOLSCAP LEVER ARCH FOLDER (H350xW80xD285mm)	FOOLSCAP BOX FILE (H370xW75xD245mm)
						Total no. of file per unit	Total no. of file per unit	Total no. of file per unit	
FS0441K/E/F	640 x 500 x 500mm	510 <sup>+</sup> x 375 x 330mm	440mm/40mm	93kg	63 Litres	1/1/3	5	4	5
FS0442K/E/F	820 x 520 x 520mm	670 <sup>+</sup> x 380 x 330mm	460mm/40mm	120kg	84 Litres	1/1/3	10	4	5
FS0443K/E/F	1065 x 655 x 560mm	880 <sup>+</sup> x 475 x 350mm	570mm/40mm	218kg	145 Litres	1/1/5	12	10	12

*This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used.*

+ The internal drawer reduces internal height by 95mm



\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

# FS1510 SERIES FIRE RANGER



**THE PHOENIX FIRE RANGER FS1510 SERIES** sets new standards for protection against fire and burglary attack in an economic, convenient and attractive format.


- **FIRE PROTECTION** – Provides 30 minutes fire protection for paper records at 500°C.
- **SECURITY PROTECTION** – **FS1510E/F** is recommended for overnight cash cover of £1,500 or valuables cover of £15,000. **FS1510K/E S1** – Tested to the prestigious European S1 Security standard EN14450 giving cash cover of £2,000 or valuables cover of £20,000.
- **LOCKING** – **FS1510K S1** – Fitted with high security double bitted VdS class I key lock. **FS1510E** – Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard. **FS1510E S1** – Fitted with high security VdS class II electronic lock with dual control, master code & time delay. **FS1510F** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, internal alarm, dual control, hidden code and scrambled code that can be programmed as standard with up to 128 fingerprints.
- **JCQ COMPLIANT** – Complies with the requirements set out by the Joint Council for Qualifications (JCQ) for the secure storage of question papers and any other confidential materials distributed to centres in advance of the examinations. (Applies to FS1510K S1 only).
- **CONSTRUCTION** – High security 3 way espagnolette bolt work provides great strength and attack resistance.
- **SPECIAL FEATURES** – Supplied with height adjustable shelves that also includes hanging rails for lateral files as standard.
- **FIXING** – ready prepared for floor fixing, with fixing bolts for concrete supplied.
- **COLOUR** – Finished in a high quality scratch resistant White paint RAL9003.
- **FS1510K/E S1** – Suitable for storage of controlled drugs whose active ingredients do not exceed 500 grams.



Optional Coffers\*\*  
(FS1512/13/14 only)

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING / HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES / DOORS	LEVER ARCH FOLDER	FOOLSCAP LEVER ARCH FOLDER	FOOLSCAP BOX FILE
							(H320xW75x290mm) Total no. of file per unit	(H350xW80xD285mm) Total no. of file per unit	(H370xW75xD245mm) Total no. of file per unit
<b>FS1511E/F</b>	1225 x 600 x 520mm	1080 x 505 x 410mm	575mm/50mm	66kg	224 Litres	2/1	18	18	12
<b>FS1512E/F</b>	1225 x 930 x 520mm	1080 x 815 x 410mm	415mm/50mm	87kg	361 Litres	2/2	30	30	20
<b>FS1513E/F</b>	1950 x 930 x 520mm	1810 x 815 x 410mm	455mm/50mm	133kg	605 Litres	4/2	50	50	40
<b>FS1514E/F</b>	1950 x 1250 x 520mm	1810 x 1135 x 410mm	595mm/50mm	190kg	843 Litres	4/2	75	70	60
<b>FS1511K/E S1</b>	1225 x 600 x 520mm	1080 x 505 x 410mm	575mm/50mm	66kg	224 Litres	2/1	18	18	12
<b>FS1512K/E S1</b>	1225 x 930 x 520mm	1080 x 815 x 410mm	415mm/50mm	87kg	361 Litres	2/2	30	30	20
<b>FS1513K/E S1</b>	1950 x 930 x 520mm	1810 x 815 x 410mm	455mm/50mm	133kg	605 Litres	4/2	50	50	40
<b>FS1514K/E S1</b>	1950 x 1250 x 520mm	1810 x 1135 x 410mm	595mm/50mm	190kg	843 Litres	4/2	75	70	60
<b>Data Protection Insert – FSDPI03 (FS1512, FS1513 &amp; FS1514 only)</b>									
	300 x 515 x 360mm	170 x 370 x 230mm	-	20kg	14 Litres	-			

This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used. \*\*Optional coffer reduces internal height by 385mm.



FS1510K S1



FS1510E



FS1510F



FS1510F



\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.




**THE PHOENIX RANGER PRO FS1550 SERIES** sets new standards for protection against fire and burglary attack in an economic, convenient and attractive format. Ideal for large quantities of documents, records & exam papers.

- **FIRE PROTECTION (PAPER)** – Tested to the European LFS 30P Fire protection standard (EN15659) giving 30 minutes fire protection for paper documents.
- **LOCKING** – **FS1550K** – Fitted with high security double bitted VdS class I key lock. **FS1550E** – Fitted with high security VdS class II electronic lock with dual control, master code & time delay.
- **SECURITY PROTECTION** – Tested to the prestigious European S1 Security standard EN14450 giving cash cover of £2,000 or valuables cover of £20,000.
- **JCQ COMPLIANT** – Complies with the requirements set out by the Joint Council for Qualifications (JCQ) for the secure storage of question papers and any other confidential materials distributed to centres in advance of the examinations. (Applies to FS1550K only).
- **CONSTRUCTION** – High security 3 way bolt work provides great strength and attack resistance.
- **SPECIAL FEATURES** – Supplied with height adjustable shelves that also includes hanging rails for lateral files as standard. Optional pull-out cradles also available but only suitable if the unit is base fixed.
- **FIXING** – Ready prepared for floor fixing, with fixing bolts for concrete supplied.
- **COLOUR** – Finished in a high quality scratch resistant White paint RAL9003.



Suitable for storage of controlled drugs whose active ingredients do not exceed 500 grams.



Optional Pull Out Cradle

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING / HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES / DOORS	LEVER ARCH FOLDER	FOOLSCAP LEVER ARCH FOLDER	FOOLSCAP BOX FILE	
							(H320xW75x290mm) Total no. of file per unit	(H350xW80xD285mm) Total no. of file per unit	(H370xW75xD245mm) Total no. of file per unit	
<b>FS1551KE</b>	1220 x 600 x 520mm	1065 x 465 x 365mm	575mm/50mm	99kg	180 Litres	2/1	18	18	12	
<b>FS1552KE</b>	1220 x 930 x 520mm	1065 x 795 x 365mm	415mm/50mm	133kg	309 Litres	2/2	30	30	20	
<b>FS1553KE</b>	1950 x 930 x 520mm	1795 x 795 x 365mm	455mm/50mm	198kg	520 Litres	4/2	50	50	40	
<b>FS1554KE</b>	1950x1250 x 520mm	1795 x 1115 x 365mm	595mm/50mm	235kg	730 Litres	4/2	70	75	60	
<b>Data Protection Insert – FSDPI03 (FS1552, FS1553 &amp; FS1554 only)</b>										
	300 x 515 x 360mm	170 x 370 x 230mm	-	20kg	14 Litres	-				

This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used.



FS1550K

FS1550E

Additional locking options available

£2K

AFTER FIRE REPLACEMENT WARRANTY

\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

# SS1620 SERIES FIREFOX



SS1622K

SS1623

SS1621E

**THE PHOENIX FIREFOX SS1620** series is designed and tested to the latest and prestigious European test standards for both Fire and Security Protection.

- **SECURITY PROTECTION** – Tested to the prestigious European S2 Security standard (EN14450 ECB.S Certified) giving cash cover of £4,000 or valuables cover of £40,000\*.
- **APPROVALS** – UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (AiS).
- **FIRE PROTECTION (PAPER)** – Tested to the Swedish NT Fire 017-120 Paper standard, providing 120 minutes fire protection for paper documents.
- **FIRE PROTECTION (DIGITAL MEDIA)** – Tested to MTC DIP120-60DM fire test standard, providing 60 minutes fire protection for digital media, DVD's, USB's, memory sticks and hard drives.
- **FEATURES** – Internal lockable steel drawer unit in each model.
- **LOCKING** – **SS1620K** – Fitted with a high security double bitting VdS class I key lock. **SS1620E** – Fitted with a high security VdS class II electronic lock.

- **DROP TEST** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **CONSTRUCTION** – Double wall construction with high grade concrete infill to provide both fire and burglary protection.
- **FIXING** – Ready prepared for floor fixing, with fixing bolts for concrete supplied.
- **COLOUR** – Finished in a high quality scratch resistant white paint RAL9003.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

✚ Suitable for storage of controlled drugs whose active ingredients do not exceed 500 grams.



Internal Key Hooks

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING / HANDLE DEPTH	WEIGHT	CAPACITY	DRAWERS / SHELVES / KEY HOOKS	LEVER ARCH FOLDER	FOOLSCAP LEVER ARCH FOLDER	FOOLSCAP BOX FILE
							(H320xW75x290mm) Total no. of file per unit	(H350xW80xD285mm) Total no. of file per unit	(H370xW75xD245mm) Total no. of file per unit
SS1621K/E	960 x 655 x 560mm	780 <sup>+</sup> x 475 x 350mm	600mm/50mm	220kg	128 Litres	1/2/5	12	10	12
SS1622K/E	1160 x 655 x 560mm	980 <sup>+</sup> x 475 x 350mm	600mm/50mm	252kg	162 Litres	1/2/5	18	10	12
SS1623K/E	1385 x 775 x 650mm	1205 <sup>+</sup> x 595 x 440mm	720mm/50mm	368kg	315 Litres	1/3/0	21	21	21
<b>Data Protection Insert – FSDPI03 (SS1623 only)</b>									
	300 x 515 x 360mm	170 x 370 x 230mm	-	20kg	14 Litres	-	-	-	-

*This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used.*

+ Drawer reduces internal height by 105mm.



SS1620K

SS1620E

\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



FS1910F



FS1911E



FS1912K



FS1913K



Shown with optional lateral filing frame – Available for all models.

FS1914

Shown with optional Data protection insert (FSDPI03) for models FS1913 & FS1914

**THE PHOENIX FIRE COMMANDER FS1910 SERIES** offers unrivalled protection for documents, digital media, data (with FSDPI03) and cash.

- **FIRE PROTECTION (PAPER)** – Tested to the Swedish NT Fire 017-120 Paper standard, providing 120 minutes fire protection for paper documents.
- **FIRE PROTECTION (DIGITAL MEDIA)** – Tested to MTC DIP120-60DM Fire Test standard providing up to 60 minutes fire protection for DVDs, memory sticks and hard drives.
- **SECURITY PROTECTION** – The safe is recommended for an overnight cash risk of £2,500 or £25,000 valuables.
- **DROP TEST** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **LOCKING – FS1910K** – Fitted with a high quality key lock supplied with two keys. **FS1910E** – Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard.
- **FS1910F** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, internal alarm, dual control, hidden code and scrambled code that can be programmed as standard with up to 128 fingerprints.
- **SPECIAL FEATURES** – Supplied with height adjustable shelves that also includes hanging rails for lateral files as standard. Optional pull out shelves & drawers available.
- **COLOUR** – Finished in a high quality scratch resistant white paint RAL9003.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING / HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES / DOORS	LEVER ARCH FOLDER	FOOLSCAP LEVER ARCH FOLDER	FOOLSCAP BOX FILE
							(H320xW75x290mm) Total no. of file per unit	(H350xW80xD285mm) Total no. of file per unit	(H370xW75xD245mm) Total no. of file per unit
<b>FS1911K/E/F</b>	1160 x 690 x 650mm	980 x 510 x 440mm	650mm/40mm	260kg	220 Litres	2/1	18	12	12
<b>FS1912K/E/F</b>	1685 x 690 x 650mm	1505 x 510 x 440mm	470mm/40mm	340kg	338 Litres	3/1	24	24	24
<b>FS1913K/E/F</b>	1160 x 950 x 650mm	980 x 770 x 440mm	650mm/40mm	358kg	332 Litres	2/2	30	18	20
<b>FS1914K/E/F</b>	1685 x 1125 x 650mm	1505 x 945 x 440mm	560mm/40mm	554kg	626 Litres	3/2	48	44	48
<b>Data Protection Insert – FSDPI03 (FS1913 &amp; FS1914)</b>									
	300 x 515 x 360mm	170 x 370 x 230mm	-	20kg	14 Litres	-			

*This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used.*



FS1910K



FS1910E



FS1910F



FS1910F



\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

# FS1920 SERIES FIRE COMMANDER PRO



FS1922E



FS1923



Shown with optional Data protection insert (FSDPI03). Available for all models.

FS1921

THE PHOENIX FS1920 FIRE COMMANDER PRO series offers unrivalled protection for documents, data (with FSDPI03) and cash.

- **FIRE PROTECTION (PAPER)** – Tested to the European LFS 60P Fire protection standard (EN15659 ECB.S Certified) giving 60 minutes fire protection for paper documents.
- **APPROVALS** – UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (Ais).
- **SECURITY PROTECTION** – Tested to the prestigious European S2 Security Standard (EN14450 – ECB.S Certified) giving cash cover of £4,000 or valuables cover of £40,000.
- **FIXING** – Ready prepared for floor fixing with fixing bolts for concrete supplied.
- **LOCKING** – **FS1920K** – Fitted with high security double bitted VdS class I key lock. **FS1920E** – Fitted with high security VdS class II electronic lock with dual control, master code & time delay.
- **SPECIAL FEATURES** – Supplied with height adjustable shelves that also includes hanging rails for lateral files as standard. Optional pull out cradles also available.
- **COLOUR** – Finished in a high quality scratch resistant white paint RAL9003.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.



Suitable for storage of controlled drugs whose active ingredients do not exceed 500 grams.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING / HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES	LEVER ARCH FOLDER	FOOLSCAP LEVER ARCH FOLDER	FOOLSCAP BOX FILE
							(H320xW75x290mm) Total no. of file per unit	(H350xW80xD285mm) Total no. of file per unit	(H370xW75xD245mm) Total no. of file per unit
FS1921K/E	1200 x 1250 x 585mm	1030 x 1110 x 390mm	570mm/40mm	440kg	445 Litres	2	42	26	28
FS1922K/E	1950 x 940 x 585mm	1760 x 800 x 390mm	690mm/40mm	558kg	549 Litres	4	50	50	40
FS1923K/E	1950 x 1250 x 585mm	1785 x 1110 x 390mm	520mm/40mm	650kg	772 Litres	4	70	65	56
<b>Data Protection Insert – FSDPI03</b>									
	300 x 515 x 360mm	170 x 370 x 230mm	-	20kg	14 Litres	-			

This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used.



FS1920K



FS1920E



Additional locking options available



\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



FS2234K



FS2232K



Data protection  
Insert (FSDPI08)

**THE PHOENIX ARCHIVO FIRE FILE** series offers unrivalled protection for documents and data† in a stylish modern filing cabinet format. Ultra lightweight insulation materials also mean the cabinet can be used on most standard floors without the need for supporting.

- **FIRE PROTECTION (PAPER)** – Tested to the international NT Fire 017-60 paper standard, providing 60 minutes fire protection for paper documents.
- **FIRE PROTECTION (DATA)** – 60 minutes fire protection for Computer tapes and data when optional FSDPI08 is specified.
- **FIRE PROTECTION (DIGITAL MEDIA)** – Tested to MTC DIP120-60DM fire test standard, providing 60 minutes fire protection for digital media, USB's, memory sticks and hard drives.
- **WATER RESISTANCE** – Water resistant seals prevent water damage to contents when cabinet is subjected to sprinklers systems or fire hoses.\*\*\*
- **DROP TEST** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **LOCKING** – Fitted with a high security plunger lock that operates independently on each drawer. This allows for any combination of open or locked drawers.
- **CAPACITY** – Able to accommodate Foolscap, A4 and A5 files on width adjustable rails. Each drawer also accommodates a filing depth of 505mm.
- **COLOUR** – Finished in a high quality scratch resistant white paint RAL9003.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	WEIGHT	CAPACITY PER DRAWER	TOTAL CAPACITY	DRAWERS
FS2232K	720 x 530 x 675mm	255 x 385 x 505mm**	132kg	49 Litres	98 Litres	2
FS2234K	1405 x 530 x 675mm	255 x 385 x 505mm**	253kg	49 Litres	196 Litres	4
<b>Data Protection Insert – FSDPI08</b>						
	260 x 380 x 500mm	165 x 282 x 402mm	20kg	19 Litres	-	

\*\*\* Does not protect against water submersion

\*\* Internal dimensions for the drawers

† When using Phoenix FSDPI08





# FS2250 SERIES WORLD CLASS VERTICAL FIRE FILE



FS2254E



FS2252K



Data protection insert (FSDPI08)

FS2250 Series = 25 inch deep



FS2250F

THE PHOENIX WORLD CLASS VERTICAL FIRE FILE series offers unrivalled protection for documents and data† in a stylish modern filing cabinet format. Ultra lightweight insulation materials mean the cabinet can be used on most floors without the need for supporting.

- **FIRE PROTECTION (PAPER)** – 90 minutes fire protection for paper documents.
- **FIRE PROTECTION (DATA)** – 90 minutes fire protection for Computer tapes and data if optional FSDPI08 is used.
- **FIRE PROTECTION (DIGITAL MEDIA)** – Tested to MTC DIP120-60DM fire test standard, providing 60 minutes fire protection for digital media, USB's, memory sticks and hard drives.
- **WATER RESISTANCE** – Water resistant seals prevent water damage to contents when cabinet is subjected to sprinklers systems or fire hoses.\*\*\*
- **DROP TEST** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **LOCKING** – **FS2250K** – Fitted with a high quality key lock supplied with two keys. **FS2250E** – Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard.

**FS2250F** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, internal alarm, dual control, hidden code and scrambled code that can be programmed as standard with up to 128 fingerprints.

- **CAPACITY** – Able to accommodate Foolscap, A4 and A5 files on width adjustable rails. Compression plates are also supplied to maximise useable space.
- **COLOUR** – Finished in a high quality scratch resistant white paint RAL9003.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	WEIGHT	CAPACITY PER DRAWER	TOTAL CAPACITY	DRAWERS
FS2252K/E/F	720 x 530 x 675mm	255 x 385 x 505mm**	140kg	49 Litres	98 Litres	2
FS2254K/E/F	1405 x 530 x 675mm	255 x 385 x 505mm**	266kg	49 Litres	196 Litres	4
<b>Data Protection Insert – FSDPI08 (FS2250 only)</b>						
	260 x 380 x 500mm	165 x 282 x 402mm	20kg	19 Litres	-	



\*\*\* Does not protect against water submersion \*\* Internal dimensions for the drawers † When using Phoenix FSDPI08



# FS2270 SERIES WORLD CLASS VERTICAL FIRE FILE



FS2274E



FS2272K



Data protection insert (FSDPI08)



FS2270F

**THE PHOENIX WORLD CLASS VERTICAL FIRE FILE** series offers unrivalled protection for documents and data in a stylish modern filing cabinet format. Ultra lightweight insulation materials also mean the cabinet can be used on most standard floors without the need for supporting.

- **FIRE PROTECTION (PAPER)** – 120 minutes fire protection for paper documents.
- **FIRE PROTECTION (DATA)** – 120 minutes fire protection for Computer tapes and data if optional FSDPI08 is used.
- **FIRE PROTECTION (DIGITAL MEDIA)** – Tested to MTC DIP120-60DM fire test standard, providing 60 minutes fire protection for digital media, USB's, memory sticks and hard drives.
- **WATER RESISTANCE** – Water resistant seals prevent water damage to contents when cabinet is subjected to sprinklers systems or fire hoses.\*\*\*
- **DROP TEST** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **LOCKING** – **FS2270K** – Fitted with a high quality key lock supplied with two keys. **FS2270E** – Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard. **FS2270F** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, internal alarm, dual control, hidden code and scrambled code that can be programmed as standard with up to 128 fingerprints.
- **CAPACITY** – Able to accommodate Foolscap, A4 and A5 files on width adjustable rails. Compression plates are also supplied to maximise useable space.
- **COLOUR** – Finished in a high quality scratch resistant white paint RAL9003.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	WEIGHT	CAPACITY PER DRAWER	TOTAL CAPACITY	DRAWERS
FS2272K/E/F	765 x 570 x 700mm	265 x 385 x 505mm**	180kg	51 Litres	102	2
FS2274K/E/F	1450 x 570 x 700mm	265 x 385 x 505mm**	320kg	51 Litres	204	4
<b>Data Protection Insert – FSDPI08</b>						
	260 x 380 x 500mm	165 x 282 x 402mm	20kg	19 Litres	-	

\*\*\* Does not protect against water submersion \*\* Internal dimensions for the drawers



FS2270K

FS2270E

FS2270F

FS2270F



# FS2410 SERIES WORLD CLASS LATERAL FIRE FILE



FS2414E



FS2412K



FSDPI09

● **KEY FEATURE** – Cheaper per mm of filing compared to standard vertical file\*\*.



FS2410F

**THE PHOENIX WORLD CLASS LATERAL FIRE FILE FS2410** series offers unrivalled protection and capacity for documents and data† in a stylish modern lateral filing cabinet format. Ultra lightweight insulation materials also mean the cabinet can be used on most standard floors without the need for supporting.

- **FIRE PROTECTION (PAPER)** – Tested to the Swedish NT Fire 017- 60 Paper standard, providing 60 minutes fire protection for paper documents.
- **FIRE PROTECTION (DATA)** – 60 minutes protection for computer tapes and digital media when stored in optional FSDPI09.
- **WATER RESISTANCE** – Water resistant seals prevent water damage to contents when cabinet is subjected to sprinkler systems or fire hoses\*\*\*.
- **DROP TEST** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **CAPACITY** – Able to accommodate foolscap, A4 and A5 files on width adjustable rails.
- **LOCKING – FS2410K** – Fitted with a high quality key lock supplied with two keys. **FS2410E** – Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard. **FS2410F** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, internal alarm, dual control, hidden code and scrambled code that can be programmed as standard with up to 128 fingerprints.
- **COLOUR** – Finished in a high quality scratch resistant white paint RAL9003.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	WEIGHT	CAPACITY PER DRAWER	TOTAL CAPACITY	DRAWERS
FS2412K/E/F	730 x 985 x 600mm	265 x 830 x 385mm††	209kg	84 Litres	168 Litres	2 (lateral foolscap - complete with filing cradles)
FS2414K/E/F	1390 x 985 x 600mm	265 x 830 x 385mm††	342kg	84 Litres	336 Litres	4 (lateral foolscap - complete with filing cradles)
<b>Data Protection Insert – FSDPI09</b>						
	259 x 400 x 375mm	165 x 282 x 277mm	20kg	-	13 Litres	-

† When using Phoenix FSDPI09

†† Internal dimensions for the drawers

\*\* When compared against the Phoenix FS2254 Vertical Fire File retail price

\*\*\* Does not protect against water submersion



FS2410K



FS2410E



FS2410F



FS2410F





DS2002K



DS2003K  
Shown with optional extra  
multimedia trays



DS2001E



Internal Key Hooks



DS2000F

Designed to meet the requirement of a large capacity fire protection unit for computer backup tapes and digital media such as CD's, DVD's and memory sticks. Suitable for use in residential or business premises.


- **FIRE PROTECTION (DATA)** – Tested to Swedish NT Fire 017.
  - DS2001 – 60dis standard, providing 60 minutes fire protection for computer backup tapes.
  - DS2002 – 90dis standard, providing 90 minutes fire protection for computer backup tapes.
  - DS2003 – 120dis standard, providing 120 minutes fire protection for computer backup tapes.
- **WATER RESISTANCE** – Twin water resistant seals provide an airtight water resistant inner compartment for your computer media.
- **DROP TEST** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **SPECIAL FEATURES** – DS2002 and DS2003 are fitted with automatic slam shut locking.
- **LOCKING** – **DS2000K** – Fitted with a high quality key lock supplied with two keys. **DS2000E** – Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard.

**DS2000F** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, internal alarm, dual control, hidden code and scrambled code that can be programmed as standard with up to 128 fingerprints.

- **FITTINGS** – DS2003 can also be fitted with pull out media trays as an optional extra.
- **COLOUR** – Finished in a high quality scratch resistant white paint RAL9003.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.



MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING / HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES/ KEY HOOKS	DATA CAPACITY			
							LTO	DAT	DLT	CD-ROM
DS2001K/E/F	420 x 350 x 430mm	240 x 150 x 195mm	305mm/30mm	43kg	7 Litres	1/4	14	96	14	30
DS2002K/E/F	600 x 470 x 470mm	380 x 245 x 195mm	440mm/30mm	93kg	18 Litres	2/3	27	225	27	57
DS2003K/E/F	770 x 690 x 720mm	485 x 395 x 405mm	609mm/30mm	222kg	77 Litres	2/0	189	990	189	372
<b>MEDIA DRAWERS</b>	-	60 x 370 x 397mm	-	3kg	-	-	42	116	42	94



\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

# DS2500 SERIES DATA COMBI




**FOUR SAFES IN ONE** – this safe provides fire protection for paper documents, computer diskettes, tapes and all forms of data storage and security for cash and valuables all in one unit. Suitable for use in residential or business premises.

- **FIRE PROTECTION (PAPER)** – Tested to Swedish NT Fire 017-90 Paper (DS2501/DS2502), NT Fire 017-120 Paper (DS2503), providing up to 120 minutes fire protection for paper documents.
- **FIRE PROTECTION (DATA)** – Tested to Swedish NT Fire 017-90dis (DS2501/DS2502), NT Fire 017-120 data (DS2503), providing up to 120 minutes Fire protection for computer diskettes, tapes and all forms of data storage.
- **FIRE PROTECTION (DIGITAL MEDIA)** – Tested to MTC DIP120-60DM fire test standard, providing 60 minutes fire protection for digital media, DVD's, USB's, memory sticks and hard drives.
- **SECURITY PROTECTION** – The safe is recommended for an overnight cash risk of £2,500 or £25,000 valuables\*.
- **DROP TEST** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **LOCKING** – **DS2500K** – Fitted with a high quality key lock supplied with two keys. **DS2500E** – Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard.
- **DS2500F** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, internal alarm, dual control, hidden code and scrambled code that can be programmed as standard with up to 128 fingerprints.
- **FITTINGS** – Each safe comes complete with height adjustable shelf and lockable drawer.
- **FIXING** – Ready prepared for floor fixing with fixing bolts for concrete supplied.
- **SPECIAL FEATURES** – Fitted with automatic slam shut locking.
- **COLOUR** – Finished in a high quality scratch resistant white paint RAL9003.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING / HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES / DRAWERS / INTERNAL KEY HOOKS
DS2501K/E/F	640 x 500 x 500mm	510+ x 375 x 330mm	440mm/40mm	103kg	63 Litres Main Safe / 6 Litres Data Compartment	1/1/3
DS2502K/E/F	820 x 520 x 520mm	670+ x 380 x 330mm	460mm/40mm	134kg	84 Litres Main Safe / 6 Litres Data Compartment	1/1/3
DS2503K/E/F	1065 x 655 x 560mm	880+ x 475 x 350mm	570mm/40mm	227kg	145 Litres Main Safe / 14 Litres Data Compartment	1/1/5

\* Internal drawer and data box reduces internal height by 305mm on DS2501E & DS2502E and 380mm on DS2503E



\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



Designed to meet the requirement of a large capacity fire protection unit for computer diskettes, tapes and all forms of data storage. Suitable for use in commercial business premises for large volume storage.

- **FIRE PROTECTION (DATA)** – Tested to Swedish NT Fire 017-120dis standard, providing 120 minutes fire protection for computer backup tapes.
- **WATER RESISTANCE** – Twin water resistant seals provide an airtight water resistant inner compartment for your computer media.
- **LOCKING** – **DS4620K** – Fitted with a high quality key lock supplied with two keys. **DS4620E** – Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard. **DS4620F** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, internal alarm, dual control, hidden code and scrambled code that can be programmed as standard with up to 128 fingerprints.
- **DROP TEST** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **SPECIAL FEATURES** – DS4621 and DS4622 are fitted with automatic slam shut locking.
- **FITTINGS** – Each unit comes complete with height adjustable shelves and pull out media trays.
- **COLOUR** – Finished in a high quality scratch resistant white paint RAL9003.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.



MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING / HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES / DRAWERS	LTO	DATA DAT	DLT	CD-ROM
DS4621K/E/F	1160 x 690 x 720mm	885 x 400 x 405mm	595mm/40mm	340kg	143 Litres	2/3	294	1276	294	564
DS4622K/E/F	1685 x 690 x 720mm	1410 x 400 x 405mm	595mm/40mm	480kg	228 Litres	2/5	462	1972	462	940
DS4623K/E/F	1685 x 1200 x 720mm	1410 x 800** x 405mm	595mm/40mm	753kg	457 Litres	3/10	924	3944	924	1880
<b>MEDIA DRAWERS</b>	-	60 x 370 x 397mm	-	3kg	-	-	42	116	42	94

\*\* width comprises of two compartments each 395mm wide.



\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

# DS4650 SERIES MILLENNIUM DUPLEX



DS4651



DS4652E



DS4653E

**THE PHOENIX MILLENNIUM DUPLEX DS4650 SERIES** is designed to meet the requirement of a large capacity fire protection unit for computer backup tapes and digital media such as CD's, DVD's and memory sticks. Suitable for use in commercial business premises for large volume storage.

- **FIRE PROTECTION (DATA)** – Tested to EN 1047-1 S120dis standard, providing 120 minutes fire protection for computer backup tapes.
- **WATER RESISTANT** – Water resistant seals provide an airtight water resistant inner compartment for your computer media.
- **DROP TEST** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **SECURITY PROTECTION** – Tested to the prestigious European EN1143-1 Grade 1 Security standard. Recommended Insurance rating of £10,000 cash or £100,000 valuables\*.
- **LOCKING** – **DS4650K** – Fitted with a high security double bitting VdS class I key lock (2 keys supplied) – **DS4650E** – Fitted with a high security VdS class I electronic lock.
- **FITTINGS** – Each unit comes complete with height adjustable shelves and pull out media drawers.
- **FIXING** – Ready prepared for floor fixing, with fixing bolts for concrete supplied.
- **COLOUR** – Finished in a high quality scratch resistant light grey paint RAL7035.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.



MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	HANDLE DEPTH	DOOR SWING	WEIGHT	CAPACITY	SHELVES/ DRAWERS	LTO	DAT	DLT	CD-ROM
DS4651K/E	1140 x 800 x 730mm	885 x 580 x 455mm	42mm	720mm	530kg	234 Litres	2/2	516	1140	276	1848
DS4652K/E	1300 x 800 x 730mm	1045 x 580 x 455mm	42mm	720mm	600kg	275 Litres	3/2	602	1330	322	2156
DS4653K/E	1455 x 885 x 800mm	1200 x 665 x 525mm	42mm	800mm	755kg	418 Litres	3/3	800	1984	536	2856
Media Drawers (DS4651/2)		65 x 525 x 445 mm	-	-	3kg	-	-	86	190	46	308
Media Drawers (DS4653)		65 x 610 x 510 mm	-	-	3kg	-	-	100	248	67	357



DS4650K



DS4650E



\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.


# 790+LI SERIES TARTARUS LITHIUM ION BATTERY STORAGE



The **790+LI SERIES** offers a safety storage solution for Lithium-Ion batteries. Lithium-Ion batteries present many risks including thermal runaway caused by a rise in temperature, a shock or faulty manufacture. This can result in the battery igniting and causing a fire.

- **FIRE PROTECTION** – Tested to EN4470-1 (part 1) for 90 minutes and to EN1363-1 for 90 minutes. Fire resistance of 105 minutes according to ISO curve 834.
- **APPROVALS** – Uses standard pictograms conforming to ISO 3864 and ISO 7010 directive 92/58/EEC.
- **LOCKING** – Supplied with high security key lock. Optional electronic code lock available on request.
- **SPECIAL FEATURES** – Can be equipped with VIG190 or VIG290 security and control kit (according to cabinet). Kit comprises of visual and audible alarm, control box, smoke detector and EX100LI fire extinguisher (EX200LI included with VIG290). EX100LI or EX200LI available separately. Perforated and retentive shelves to manage liquid spills, with a load capacity of 100Kgs. Ventilation options to vent or seal in the event of a fire. Ventilation kits available to extract toxic vapours. Automatic closing and locking doors fitted with intumescent seals. Can be equipped with electrical sockets to charge stored batteries. Fixing point for earth link.
- **FITTINGS** – Cabinets supplied nude but popular configurations available as a package.
- **COLOUR** – Finished in a high quality scratch resistant white epoxy RAL 9010.

#### EXAMPLES OF BATTERY STORAGE




MODEL NUMBER	DESCRIPTION	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	WEIGHT (EXCL. OPTION)
793+LI	Counter high cabinet 2 doors	1100 x 1137 x 670mm <sup>(1)</sup>	820 x 1000 x 410mm	297kg
794+LI	High cabinet 1 door	1950 x 635 x 620mm <sup>(2)</sup>	1620 x 490 x 410mm	287kg
795+LI	High cupboard 2 doors	1950 x 1137 x 620mm <sup>(2)</sup>	1620 x 1000 x 410mm	453kg
798+LI	Counter high cabinet 1 door	1100 x 635 x 670mm <sup>(1)</sup>	820 x 490 x 410mm	182kg

- (1) Depth including the connecting sleeve at the back. Depth without sleeve: 620 mm  
(2) Height including the connecting sleeve on the top. Height without sleeve: 1900 mm




Smoke detector



Automatic fire extinguisher



Siren and strobe light



Visual alarm box and sound



# SS0721 SERIES COMPACT HOME & OFFICE SAFES



SS0721EBD



SS0721EPD



OVERRIDE KEYS



SS0721K





SS0721E

THE SS0721 SECURITY SAFES are ideal for use at home or in the office for storage of valuables and cash.

- **SECURITY PROTECTION** – Recommended for overnight cash cover of £1,000 cash or £10,000 valuables\*.
- **LOCKING** – **SS0721E** – Simple to use with their advanced 'user-friendly' digital lock. **SS0721K** fitted with a high quality key-lock and supplied with two keys.
- **CONSTRUCTION** – Twin live locking bolts and concealed internal hinges for increased security.
- **DEPOSIT SLOT** – Ideal for depositing coins & notes (SS0721EBD/EPD only).
- **SPECIAL FEATURES** – All electronic locking models are fitted with three internal key hooks.
- **FIXING** – Ready prepared for floor or wall fixing, supplied with bolts suitable for brick walls and concrete floors.
- **COLOUR** – Finished in a high quality scratch resistant paint. Available in a choice of black, blue or pink.

MODEL NUMBER	COLOUR	DEPOSIT SLOT	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	CAPACITY
SS0721E	Black	No	170 x 230 x 170mm	168 x 228 x 120mm	160mm	3kg	5 Litres
SS0721K	Black	No	170 x 230 x 170mm	168 x 228 x 120mm	160mm	3kg	5 Litres
SS0721EBD	Blue	Yes	170 x 230 x 170mm	168 x 228 x 120mm	160mm	3kg	5 Litres
SS0721EPD	Pink	Yes	170 x 230 x 170mm	168 x 228 x 120mm	160mm	3kg	5 Litres
Deposit slot	-	-	-	3 x 80 x 5mm	-	-	-

Door aperture is reduced by 5mm due to frame.



SS0721E

SS0721K

\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



DREAM1M



DREAM1P




DREAM1B

**THE PHOENIX DREAM SERIES** is a modern and elegant range of security safes designed for use in the home for the storage of cash, valuables and important documents.

- **SECURITY PROTECTION** – Recommended for overnight cash cover of £1,500 cash or £15,000 valuables.\*
- **LOCKING** – Fitted with an advanced 'user friendly' electronic lock with LED display and illuminated keypad. For added peace of mind these safes are fitted with a key override facility (2 keys supplied) and an external Micro USB power supply connector for emergency use.
- **CONSTRUCTION** – Twin 20mm diameter live locking bolts, precision laser cut door and concealed internal hinge for increased security.
- **SPECIAL FEATURES** – Fully lined velvet soft interior and shelf with chrome accent, provides protection for its contents in a stylish modern design.
- **FIXING** – Ready prepared for fixing to the floor or wall, with 4 fixing bolts supplied for brick walls or concrete floors.
- **COLOUR** – Available in a high quality powder coated pastel Blue, Pink or Mint to add a subtle splash of colour to your home or office.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.



MODEL NUMBER	COLOUR	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	CAPACITY	SHELVES
DREAM1B	Blue	250 x 350 x 250mm	240 x 340 x 190mm	290mm	10kg	15.5 Litres	1
DREAM1P	Pink	250 x 350 x 250mm	240 x 340 x 190mm	290mm	10kg	15.5 Litres	1
DREAM1M	Mint	250 x 350 x 250mm	240 x 340 x 190mm	290mm	10kg	15.5 Litres	1



\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.


# SS0800 SERIES VELA HOME & OFFICE SAFES



**THE PHOENIX VELA SERIES** is designed for use at home or in the office for storage of valuables, cash and important documents.

- **SECURITY PROTECTION** – Recommended for overnight cash cover of £1,000 cash or £10,000 valuables.\*
- **LOCKING** – **SS0800K** fitted with a high quality key-lock and comes complete with two keys. **SS0800E** has advanced 'user friendly' electronic locking with high quality anti-tamper or bounce solenoid locking system. For added peace of mind these safes are fitted with a key override facility (2 keys supplied).
- **SPECIAL FEATURES** – Internal width of SS0803 makes it ideal for the storage of laptops up to 17".
- **LIGHTING** – The electronic locking versions all come fitted with a bright LED interior light so that contents can easily be seen, even in the most dimly lit cupboards.
- **CONSTRUCTION** – Twin live locking bolts and concealed internal hinges for increased security.
- **FIXING** – Ready prepared for fixing to the floor or wall, bolts supplied for brick walls or concrete floors.
- **COLOUR** – Finished in a high quality scratch resistant metallic graphite paint.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	CAPACITY	SHELVES
SS0801K/E	200 x 310 x 200mm	195 x 305 x 160mm	215mm	4.5kg	10 Litres	0
SS0802K/E	250 x 350 x 250mm	245 x 345 x 210mm	260mm	6kg	17 Litres	1
SS0803K/E	250 x 450 x 365mm	240 x 440 x 325mm	355mm	12kg	34 Litres	1
SS0804K/E	500 x 350 x 310mm	495 x 345 x 300mm	260mm	19kg	51 Litres	1
SS0805K/E	560 x 370 x 445mm	555 x 365 x 435mm	290mm	23kg	88 Litres	1



\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

# SS0300 SERIES DIONE HOTEL & LAPTOP SAFES



SS0301E



SS0302E



SS0311E



SS0313E

**THE PHOENIX DIONE SERIES** are ideal for hotel, residential or business use, for the storage of tablets, laptops, cash and valuables.

- **SECURITY PROTECTION** - Recommended for £1,000 cash or £10,000 valuables storage\*.
- **LOCKING** – **SS0301E & 2E** are fitted with an advanced 'user friendly' electronic lock with high security anti-tamper or bounce solenoid locking system. For added peace of mind these safes are fitted with a key override facility and Master code facility.  
**SS0311E & 13E** are fitted with a high security motorised electronic lock, programmable with user and master codes. An LED display shows lock status. The lock can also be specified with an optional audit trail reader that can display or print the last 200 openings (SS0311E) or 100 openings (SS0313E) of the safe. This provides extra security in hotel and office use. For added peace of mind these safes are fitted with a key override facility (2 keys supplied).
- **SPECIAL FEATURES** – Fitted with a bright LED interior light so that contents can easily be seen, even in the most dimly lit cupboards. The internal width of these (excluding SS0301E) makes it ideal for the storage of widescreen laptops. SS0313E uses a lock that is centrally mounted allowing the door to be left or right hinged (factory order only).
- **FIXING** – Ready prepared for floor or wall mounting (supplied with bolts suitable for brick walls or concrete floors).
- **OPTIONAL** – Internal USB & plug charging facility. Call for further details.\*
- **COLOUR** – Finished in a high quality scratch resistant metallic graphite paint. SS0313E finished in black.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	CAPACITY	SHELVES
SS0301E	250 x 350 x 250mm	245 x 345 x 190mm	310mm	6kg	16 Litres	1
SS0302E	250 x 450 x 365mm	245 x 445 x 305mm	410mm	12kg	33 Litres	1
SS0311E	200 x 520 x 405mm	195 x 515 x 345mm	473mm	13kg	35 Litres	0
SS0313E	250 x 450 x 365mm	245 x 445 x 315mm	398mm	15.5kg	36 Litres	1



INTERNAL USB & PLUG



OVERRIDE KEYS

\*Only available on factory orders.



\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

# SS1160 SERIES SECURSTORE



SS1160F



SS1161K



SS1163



SS1164E



SS1162K

**THE PHOENIX SECURSTORE SS1160 Series** is ideal for any retail environment, providing secure storage of stock, till drawers, cash boxes, mobile phones, cigarettes, weapons etc.

- **SECURITY PROTECTION** – Recommended for overnight cash cover of £3,000 cash or £30,000 valuables.
- **LOCKING** – **SS1160K** – Fitted with a high security double bitted VDS class I key lock supplied with 2 keys. **SS1160E** – Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard. **SS1160F** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, internal alarm, dual control, hidden code and scrambled code that can be programmed as standard with up to 128 fingerprints.
- **CONSTRUCTION** – 4mm steel body and door, 3 way boltwork protected by anti-drill plates.
- **SPECIAL FEATURES** – High capacity lightweight secure storage. Internal width allows for easy storage of till drawers.
- **FIXING** – Ready prepared for fixing to the floor or wall, with fixing bolts supplied for brick walls or concrete floors.
- **COLOUR** – Finished in a high quality scratch resistant white paint RAL9003.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	WEIGHT	CAPACITY	DOOR SWING	HANDLE DEPTH	SHELVES
SS1161K/E/F	500 x 570 x 500mm	490 x 560 x 430mm	70kg	119 Litres	500mm	43mm	1
SS1162K/E/F	1000 x 570 x 500mm	990 x 560 x 430mm	124kg	240 Litres	500mm	43mm	2
SS1163K/E/F	1600 x 570 x 500mm	1590 x 560 x 430mm	181kg	385 Litres	500mm	43mm	3
SS1164K/E/F	1900 x 570 x 500mm	1890 x 560 x 430mm	212kg	457 Litres	500mm	43mm	4



SS1160K

SS1160E

SS1160F

SS1160F

\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



SS1181K

SS1184E

SS1185

SS1183K

SS1182E

**THE PHOENIX FORTRESS SS1180** series is designed and tested to the latest and prestigious European test standards for Security Protection.

- **SECURITY PROTECTION** – Tested to the prestigious European S2 Security standard (EN14450 – ECB.S Certified) giving cash cover of £4,000 or valuables cover of £40,000\*.
- **APPROVALS** – UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (AiS).
- **LOCKING** – **SS1180K** – Fitted with a high security double bitting VdS class I key lock. **SS1180E** – Fitted with a high security VdS class II electronic lock with time delay, dual code function & multiple user codes.
- **CONSTRUCTION** – Double wall construction with anti-drill plates and re-locker protection for the door provide a safe of great strength.
- **FIXING** – Ready prepared for floor or wall fixing, with fixing bolts for concrete floors or brick walls supplied.
- **COLOUR** – Finished in a high quality scratch resistant white paint RAL9003.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.



Suitable for storage of controlled drugs whose active ingredients do not exceed 500 grams.



MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	CAPACITY	SHELVES	LEVER ARCH FOLDER	FOOLSCAP LEVER ARCH FOLDER	FOOLSCAP BOX FILE
							(H320xW75x290mm) Total no. of file per unit	(H350xW80xD285mm) Total no. of file per unit	(H370xW75xD245mm) Total no. of file per unit
SS1181K/E	220 x 350 x 300mm	140 x 270 x 190mm	283mm	15kg	7 Litres	1	0	0	0
SS1182K/E	350 x 450 x 350mm	270 x 365 x 240mm	382mm	25kg	24 Litres	1	0	0	0
SS1183K/E	550 x 450 x 350mm	470 x 365 x 240mm	382mm	37kg	42 Litres	2	4	4	4
SS1184K/E	805 x 445 x 400mm	715 x 360 x 290mm	382mm	54kg	74 Litres	2	8	8	4
SS1185K/E	1000 x 440 x 400mm	915 x 360 x 300mm	382mm	65kg	99 Litres	2	8	8	8

*This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used.*



SS1180K

SS1180E



\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

# SS1440 SERIES FORTRESS PRO




**THE PHOENIX FORTRESS PRO SS1440 SERIES** is designed and tested to the latest and prestigious European test standards for both Fire and Security Protection, making it ideal for home or office.

- **SECURITY PROTECTION** – Tested to the prestigious European S2 Security standard (EN14450 – ECB.S Certified) giving cash cover of £4,000 or Valuables cover of £40,000\*.
- **APPROVALS** – UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (Ais).
- **FIRE PROTECTION** – Tested to the International NT Fire 017-60 fire test standard, providing 60 minutes fire protection for paper documents.
- **LOCKING** – **SS1440K** – Fitted with a high security double bitted VdS class I key lock. **SS1440E** (excluding SS1441E) – Fitted with a high security VdS class II PS310 electronic lock with time delay, dual code function & multiple user codes. **SS1441E** – Fitted with PS210 electronic lock with integrated handle and illuminated surround.
- **CONSTRUCTION** – Double wall construction with high grade concrete infill to provide both fire and burglary protection. Anti-drill plate protection, three way live locking bolts and fixed dog bolts, provide a door of massive strength and resistance to pry or forced attack.
- **FIXING** – Ready prepared for floor fixing, with fixing bolts for concrete supplied.
- **COLOUR** – Finished in a high quality scratch resistant white paint RAL9003.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

+ Suitable for storage of controlled drugs whose active ingredients do not exceed 500 grams.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	CAPACITY	SHELVES/ TRAY	LEVER ARCH FOLDER	FOOLSCAP LEVER ARCH FOLDER	FOOLSCAP BOX FILE
							(H320xW75x290mm) Total no.of file per unit	(H350xW80xD285mm) Total no.of file per unit	(H370xW75xD245mm) Total no.of file per unit
SS1441K/E	290 x 405 x 355mm	190 x 305 x 220mm	715mm	35kg	13 Litres	0/1	0	0	0
SS1442K/E	305 x 430 x 430mm	205 x 330 x 295mm	760mm	43kg	20 Litres	0/1	2	0	0
SS1443K/E	480 x 350 x 430mm	380 x 250 x 295mm	615mm	52kg	28 Litres	1/1	3	3	3
SS1444K/E	480 x 430 x 430mm	380 x 330 x 295mm	760mm	58kg	37 Litres	1/1	4	4	4

*This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used.*



PS310

PS210 (SS1441E only)



SS1440K



SS1440E



\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.




**THE PHOENIX VENUS HS0670 SERIES** is designed to provide extreme security protection, making it ideal for home or office.

- **SECURITY PROTECTION** – Tested to the prestigious European EN1143-1 Security standard, Grade 0. Recommended Insurance rating of £6,000 cash or £60,000 valuables.
- **LOCKING** – **HS0670K** – Fitted with high security double bitted VdS class I key lock. **HS0670E** – Fitted with a high security VdS class II electronic lock with time delay, dual code function and multiple user codes.
- **FIXING** – Ready prepared for floor or wall fixing with fixing bolts for concrete floors or brick walls supplied (except HS0674 – floor only).
- **CONSTRUCTION** – 3 way live locking with 24mm polished bolts, multi layered 24mm thick wall construction, 10mm thick solid steel laser cut door with internal hinges, provide a safe of great strength.
- **SPECIAL FEATURE** – HS0674 fitted with an internal lockable coffer for added security (2 keys supplied).
- **COLOUR** – Finished in a high quality scratch resistant white paint RAL9003.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

✚ Suitable for storage of controlled drugs whose active ingredients exceed 500 grams.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	CAPACITY	LEVER ARCH FOLDER	FOOLSCAP LEVER ARCH FOLDER	FOOLSCAP BOX FILE
						SHELVES (H320xW75x290mm) Total no. of file per unit	(H350xW80xD285mm) Total no. of file per unit	(H370xW75xD245mm) Total no. of file per unit
<b>HS0671K/E</b>	250 x 360 x 310mm	195 x 310 x 230mm	260mm	44kg	14 Litres	1	0	0
<b>HS0672K/E</b>	300 x 440 x 380mm	245 x 390 x 300mm	330mm	65kg	29 Litres	1	3	3
<b>HS0673K/E</b>	460 x 440 x 380mm	405 x 390 x 300mm	330mm	90kg	48 Litres	1	5	5
<b>HS0674K/E</b>	670 x 440 x 380mm	485 x 390 x 300mm	345mm	122kg	56 Litres Main Compartment 15 Litres Internal Coffers	1	5	5

*This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used.*



(HS0674 only)

\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



# HS1050 SERIES NEPTUNE



HS1051E

HS1054K

HS1055


HS1056

HS1053K

HS1052E

**THE PHOENIX NEPTUNE HS1050 SERIES** is designed to provide extreme security protection for domestic and business use.

- **SECURITY PROTECTION** – Tested to the prestigious European EN1143-1 Security standard. ECB.S Certified Grade I, has a recommended Insurance rating of £10,000 cash or £100,000 valuables\*.
- **APPROVALS** – UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (AiS).
- **FIRE PROTECTION** – Tested to the European LFS 30P standard (EN15659) giving 30 minutes fire protection for paper records. **HS1055** – Recommended for 30 minutes fire protection for paper records. **HS1056** – Tested to the European LFS 60P standard (EN15659 ECB.S Certified) giving 60 minutes fire protection for paper records.
- **KEY LOCKING** – Fitted with high security double bitted VdS class I key lock.
- **ELECTRONIC LOCKING** – Fitted with high security VdS class II electronic lock with dual control, master code & time delay.
- **FIXING** – Ready prepared for floor or wall fixing, with fixing bolts for concrete floors or brick walls (HS1056 floor fixing only).
- **CONSTRUCTION** – 3 way 24mm diameter locking bolts, double wall construction with specially formulated concrete infill and anti-drill plates, provide a safe of great strength.
- **COLOUR** – Finished in a high quality scratch resistant graphite grey paint RAL7024.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

 Suitable for storage of controlled drugs whose active ingredients exceed 500 grams.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING / HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES			LEVER ARCH FOLDER	FOOLSCAP LEVER ARCH FOLDER	FOOLSCAP BOX FILE
						(H320xW75x290mm)	(H350xW80xD285mm)	(H370xW75xD245mm)	Total no. of file per unit	Total no. of file per unit	Total no. of file per unit
HS1051K/E	340 x 500 x 345mm	260 x 425 x 215mm	475/40mm	97kg	24 Litres	1	0	0	0	0	
HS1052K/E	440 x 500 x 430mm	360 x 425 x 300mm	475/40mm	140kg	46 Litres	1	5	5	5	0	
HS1053K/E	900 x 440 x 430mm	820 x 365 x 300mm	415/40mm	230kg	90 Litres	2	8	8	8	8	
HS1054K/E	840 x 650 x 550mm	765 x 575 x 420mm	625/40mm	320kg	184 Litres	2	14	14	14	14	
HS1055K/E	1240 x 650 x 555mm	1165 x 575 x 425mm	625/40mm	452kg	283 Litres	2	21	21	21	21	
HS1056K/E	1950 x 940 x 585mm	1760 x 800 x 390mm	615/40mm	658kg	553 Litres	4	50	50	50	40	

*This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used.*



HS1050K

HS1050E

\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



HS2051E / HS3551E

HS2054K / HS3554K

HS2055E / HS3555E

HS2056 / HS3556

HS2053K / HS3553K

HS2052E / HS3552E

**THE PHOENIX MERCURY HS2050 & ELARA HS3550 SERIES** are designed to provide extreme security protection for domestic and business use.


- **SECURITY PROTECTION** – Tested to the prestigious European EN1143-1 Security standard. ECB.S Certified Grade II & III. **MERCURY** – (Grade II) has a recommended Insurance rating of £17,500 cash or £175,000 valuables\*. **ELARA** – (Grade III) has a recommended Insurance rating of £35,000 cash or £350,000 valuables\*.
- **APPROVALS** – UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (AiS).
- **FIRE PROTECTION** – Tested to the European LFS 30P fire protection standard (EN15659) giving 30 minutes fire protection for paper records.
- **KEY LOCKING** – Fitted with high security double bitted VdS class II key lock.
- **ELECTRONIC LOCKING** – Fitted with high security VdS class II electronic lock with dual control, master code & time delay.
- **FIXING** – Ready prepared for floor or wall fixing, with fixing bolts supplied for concrete floors or brick walls.
- **SPECIAL FEATURE** – Pre-prepared for alarm or power cable.
- **CONSTRUCTION** – 3 way angular locking bolts, double wall construction with specially formulated concrete infill and anti-drill plates, provide a safe of great strength.
- **COLOUR** – Finished in a high quality scratch resistant graphite grey paint RAL7024.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.



Suitable for storage of controlled drugs whose active ingredients exceed 500 grams.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING / HANDLE DEPTH	WEIGHT	CAPACITY	LEVER ARCH FOLDER	FOOLSCAP LEVER ARCH FOLDER	FOOLSCAP BOX FILE
						(H320xW75x290mm) Total no. of file per unit	(H350xW80xD285mm) Total no. of file per unit	(H370xW75xD245mm) Total no. of file per unit
HS2051K/E HS3551K/E	550 x 520 x 500mm	440 x 405 x 300mm	485mm/40mm	230/245kg	56 Litres	1	5	5
HS2052K/E HS3552K/E	650 x 520 x 500mm	540 x 405 x 300mm	485mm/40mm	260/280kg	69 Litres	1	5	5
HS2053K/E HS3553K/E	970 x 520 x 500mm	860 x 405 x 300mm	485mm/40mm	357/383kg	110 Litres	2	10	10
HS2054K/E HS3554K/E	1280 x 650 x 500mm	1170 x 535 x 300mm	615mm/40mm	527/567kg	197 Litres	3	21	21
HS2055K/E HS3555K/E	1630 x 860 x 500mm	1500 x 725 x 300mm	815mm/40mm	855/920kg	330 Litres	4	36	36
HS2056K/E HS3556K/E	1490 x 860 x 620mm	1360 x 725 x 425mm	815mm/40mm	875/957kg	417 Litres	3	36	27

This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used.



HS2050

HS3550

HS2050K  
HS3550K

HS2050E  
HS3550E

\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

# HS6070/HS9070 SERIES PLANET/COSMOS



HS6071E

HS6073K

HS6076E

HS9075K

HS9074E

HS9072K

THE PHOENIX PLANET HS6070 & COSMOS HS9070 SERIES are designed to provide extreme security protection for domestic and business use.

- **SECURITY PROTECTION** – Tested to the prestigious European EN1143-1 Security standard. ECB.S Certified Grade IV & V. **PLANET** – (Grade IV) has a recommended Insurance rating of £60,000 cash or £600,000 valuables\*. **COSMOS** – (Grade V) has a recommended Insurance rating of £100,000 cash or £1,000,000 valuables\*.
- **APPROVALS** – UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (AiS).
- **FIRE PROTECTION** – Tested to the European LFS 30P fire protection standard (EN15659) giving 30 minutes fire protection for paper documents.
- **KEY LOCKING** – Fitted with 2 high security double bitted VdS Class II key locks.
- **ELECTRONIC LOCKING** – Fitted with a high security VdS Class II electronic lock with dual control, master code & time delay and high security double bitted VdS Class II key lock.
- **FIXING** – Ready prepared for wall fixing, with fixing bolts for brick walls supplied.
- **SPECIAL FEATURE** – Pre-prepared for alarm or power cable.
- **CONSTRUCTION** – 3 way angular locking bolts, double wall construction with specially formulated concrete infill, anti-drill plates and re-locker protection, provide a safe of great strength.
- **COLOUR** – Finished in a high quality scratch resistant grey paint RAL7024.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.



Suitable for storage of controlled drugs whose active ingredients exceed 500 grams.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING / HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES			
						LEVER ARCH FOLDER (H320xW75x290mm) Total no. of file per unit	FOOLSCAP LEVER ARCH FOLDER (H350xW80xD285mm) Total no. of file per unit	FOOLSCAP BOX FILE (H370xW75xD245mm) Total no. of file per unit	
HS6071K/E	580 x 580 x 545mm	470 x 465 x 360mm	545mm/50mm	328kg	80 Litres	1	6	5	6
HS6072K/E	680 x 580 x 545mm	570 x 465 x 360mm	545mm/50mm	372kg	100 Litres	1	6	5	6
HS6073K/E	850 x 580 x 545mm	740 x 465 x 360mm	545mm/50mm	445kg	129 Litres	1	12	10	6
HS6074K/E	1210 x 580 x 545mm	1100 x 465 x 360mm	545mm/50mm	595kg	190 Litres	2	18	15	12
HS6075K/E	1310 x 670 x 545mm	1175 x 530 x 330mm	625mm/50mm	695kg	205 Litres	3	21	18	21
HS6076K/E	1210 x 860 x 655mm	1095 x 745 x 470mm	815mm/50mm	855kg	395 Litres	2	27	27	18
HS9071K/E	690 x 690 x 690mm	530 x 525 x 425mm	635mm/50mm	645kg	121 Litres	1	7	6	7
HS9072K/E	850 x 690 x 690mm	690 x 525 x 425mm	635mm/50mm	757kg	154 Litres	1	14	6	7
HS9073K/E	1020 x 690 x 690mm	860 x 525 x 425mm	635mm/50mm	875kg	218 Litres	2	14	12	14
HS9074K/E	1330 x 690 x 690mm	1170 x 525 x 425mm	635mm/50mm	1094kg	295 Litres	3	21	18	21
HS9075K/E	1520 x 690 x 690mm	1360 x 525 x 425mm	635mm/50mm	1250kg	342 Litres	3	28	18	21

This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used.



PLANET



COSMOS



HS6070K  
HS9070K



HS6070E  
HS9070E



\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



**Approved for Storage  
of Controlled Drugs**

Home Office



**THE PHOENIX HYPERION SERIES** is designed to meet the exacting standards of customers demanding the best in secure protection. Suitable for use by the banking industry, bullion dealers, jewellers, safety deposit centres and the pharmaceutical industry. We can design a solution to meet customers specific requirements.

- **SECURITY PROTECTION** – Tested to EN1143-1 EFGS, with grading ranging from Grade II through Grade XI, providing Core Drill (CD) and Explosive (EX) protection.
- **CONSTRUCTION** – Composed of precast sections of steel that are typically 500mm wide. The vaults are securely constructed on site either by welding or bolting, for fast and tidy construction. The vaults and doors can be designed and manufactured to suit specific requirements, including to accommodate fork lift trucks. The external fascia is finished with concrete that can be boarded.
- **LOCKING** – Hyperion vaults can be secured with a keylock combination or digital locking, complete with time lock and delay features. The vaults can also be fitted with a grille gate, suitable for daytime use.
- **COLOUR** – The steel internals of the vaults are finished in a high quality, scratch resistant cream coloured primer paint.
- **INSTALLATION** – Phoenix Safe offer a custom design and installation service, allowing us to meet our customers exact requirements, providing expert support at every stage of the process.



# PANDORA SERIES SAFETY DEPOSIT LOCKERS



**THE PHOENIX PANDORA SERIES** is designed to provide deposit solutions for a resurgent security deposit industry. The Pandora series can be scaled to a solution that meets your exact requirements.

Deposit lockers are a popular option for those looking to store valuable, important or expensive small items such as bullion, jewellery, documents such as birth certificates and deeds, or cash and rare coins.

- **SECURITY PROTECTION** – The doors on each locker are tested to meet the Swedish SSF1048-2 certification. The Pandora Series is designed to be accommodated within our Hyperion Demountable strongrooms, which offer a minimum of EN 1143-1 Grade VIII EX CD European test certification.
- **LOCKING** – Each locker has its own unique, mechanical key lock which is exclusive to the user of the locker and is replaced for every successor to ensure complete peace of mind for customers. The Pandora series also offers optional electronic computer-controlled locking with biometric, proximity card or PIN code entry.
- **FINISH** – The columns are finished with attractive solid aluminium forged doors, surrounded by a grey painted steel frame.
- **SPECIAL FEATURES** – Electronically controlled doors allow customers to access their lockers without the need for staff presence. The systems software allows you to manage the installation to Financial Conduct Authority (FCA) guidelines. The system also includes an alarm that will sound if somebody tries to tamper with the units.





SS0801ED



SS0804KD



LED INTERNAL LIGHT  
(ED LOCK VERSION ONLY)



SS0802KD

**THE PHOENIX VELA DEPOSIT SERIES** is designed for use at home or in the office for storage of valuables, cash and important documents. With its high quality key-lock or user friendly electronic lock it is ideal for multiple applications.

- **SECURITY PROTECTION** – Recommended for overnight cash cover of £1,000 cash or £10,000 valuables.\*
- **LOCKING** – **SS0800KD** fitted with a high quality key-lock and comes complete with two keys. **SS0800ED** has advanced 'user friendly' electronic locking with high security anti-tamper or bounce solenoid locking system. For added peace of mind these safes are fitted with a key override facility (2 keys supplied).
- **LIGHTING** – The electronic locking versions of the Vela range all come fitted with a bright LED interior light so that contents can easily be seen, even in the most dimly lit cupboards.
- **CONSTRUCTION** – Twin live locking bolts and concealed internal hinges for increased security.
- **DEPOSIT SLOT** – Fitted with a deposit slot with anti-fish baffle plate to ensure that the contents cannot be 'fished out'. Dimension 150 x 12mm.
- **FIXING** – Ready prepared for fixing to the floor or wall, with fixing bolts supplied for brick walls or concrete floors.
- **COLOUR** – Finished in a high quality scratch resistant metallic graphite paint.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	CAPACITY	SHELVES
SS0801KD/ED	200 x 310 x 200mm	195 x 305 x 160mm	215mm	4.5kg	10 Litres	0
SS0802KD/ED	250 x 350 x 250mm	245 x 345 x 210mm	260mm	6kg	17 Litres	1
SS0804KD/ED	500 x 350 x 310mm	495 x 345 x 300mm	260mm	19kg	51 Litres	1



SS0800KD

SS0800ED



\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

# PHOENIX SS0991 UNDER COUNTER NOTE DEPOSIT SAFE



The **SS0991KD** is ideal for retail environments where there is a need to safely store notes from the till drawer, without staff having access. The unit is also portable so that it can be unlocked from the counter and taken to the cash office for secure sorting.

- **LOCKING** – Fitted with two key locks each and supplied with two keys. One lock secures the unit to the base tray, the second lock releases the stored notes.
- **DEPOSIT FACILITY** – Note deposit facility (Not suitable for coins).
- **SPECIAL FEATURES** – Under counter mounting plate with key release. Allows unit to be removed from the counter and emptied in a secure cash room.
- **CONSTRUCTION** – Constructed of solid steel plate.
- **FIXING** – Supplied with a fixing plate and fixings to secure under a counter.
- **COLOUR** – Finished in a high quality scratch resistant white paint RAL9003.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.



SS0991KD

# PHOENIX SS0992 CASHIER DAY DEPOSIT SAFE

Front loading day deposit safe for cash management. Ideal for under counter locations, allowing the safe deposit of cash from a till drawer.

- **SECURITY PROTECTION** – Recommended for overnight cash cover of £1,000 cash or £10,000 valuables.
- **LOCKING** – **SS0992KD** – Fitted with a high security double bitted lock supplied with two keys. **SS0992ED** – Fitted with a high security VdS class II electronic lock.
- **DEPOSIT FACILITY** – Fitted with a lockable deposit (2 keys supplied) with Phoenix tilting baffle plate to ensure that the contents cannot be 'fished out'.
- **CONSTRUCTION** – Constructed of 6mm steel plate door and 2mm body.
- **FIXING** – Ready prepared for floor and wall fixing with bolts supplied.
- **COLOUR** – Finished in a high quality scratch resistant metallic graphite paint.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.



SS0992KD

SS0992ED

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DEPOSIT SLOT DIMENSIONS H x W x D	WEIGHT	CAPACITY
SS0991KD	225 x 100 x 195mm	175 x 95 x 120mm	10 x 100 x 160mm	2kg	2 Litres
SS0992KD/ED	600 x 250 x 250mm	380 x 240 x 210mm	95 x 185 x 200mm	17kg	19 Litres



SS0992KD

SS0992ED

\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



SS0990FD

Overnight  
Lockout Plate



SS0996KD

Internal  
Coffer



SS0998ED

## FRONT LOADING CASHIER DEPOSIT SAFE for 24 hour cash management.

- **SECURITY PROTECTION** – Recommended for overnight cash cover of £3,000 cash or £30,000 valuables\*.
- **LOCKING** – **SS0990KD** – Fitted with a high security VdS Class I key lock supplied with two keys. **SS0990ED** – Fitted with a high security VdS class II electronic lock.  
**SS0990FD** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, internal alarm, dual control, hidden code and scrambled code that can be programmed as standard with up to 128 fingerprints.
- **DEPOSIT FACILITY** – Fitted with a special Phoenix baffle plate to ensure the contents cannot be fished out. Also features a night lockout plate for increased security during out of hours.
- **SPECIAL FEATURES** – SS0998 fitted with separate lockable coffer for added security.
- **CONSTRUCTION** – Constructed of 12mm steel plate door and 6mm body with anti-drill plates.
- **FIXING** – Ready prepared for floor fixing with fixing bolts for concrete supplied.
- **COLOUR** – Finished in a high quality scratch resistant graphite grey paint RAL7024.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	CAPACITY	HANDLE DEPTH
SS0996KD/ED/FD	480 x 340 x 380mm	448 x 328 x 323mm	275mm	54kg	47 Litres	50mm
DEPOSIT SLOT	-	80 x 265 x 200mm	-	-	-	-
SS0998KD/ED/FD	760 x 510 x 510mm	315 x 495 x 415mm Main compartment 145 x 495 x 395mm Internal Coffer	440mm	130kg	64 Litres Main Compartment 28 Litres Internal Coffer	50mm
DEPOSIT SLOT SS0998	-	100 x 415 x 220mm	-	-	-	-

Door aperture of SS0996ED is reduced by 10mm due to frame and SS0998ED is reduced by 6mm.



SS0990KD




SS0990ED



SS0990FD



SS0990FD



\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.




# HS1090 SERIES DIAMOND DEPOSIT



**THE PHOENIX DIAMOND DEPOSIT SERIES** are designed for the safe deposit of large quantities of cash, without the normal reduction in security protection that can be associated with deposit safes. Ideal for retail stores, garage forecourts, banks and financial institutes.

- **SECURITY PROTECTION** – Tested to the prestigious European EN1143-2:2014 Security standard, Grade D1 (ECB.S Certified) giving cash cover of £10,000 or valuables cover of £100,000.
- **APPROVALS:** UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (AiS).
- **SAFE DOOR LOCKING** – **HS1090KD** - Fitted with a high security double bitted VdS class I key lock. **HS1090ED** – Fitted with a high security VdS class II electronic lock.
- **DRAWER DEPOSIT** – High security pull out drawer deposit with special baffle drop system, for maximum security. Maximum deposit size H65mm x W205mm x D65mm. (Except HS1090).
- **CONSTRUCTION** – Double wall composite construction, anti-drill plates and re-locker protection for the door provide a safe of great strength.
- **FIXING** – Ready prepared for floor fixing, with fixing bolts for concrete floors supplied.
- **COLOUR** – Finished in a high quality scratch resistant white paint RAL9003.
- **GDPR** – Maintain GDPR Compliance at home or in the office by keeping your company's vital and important records secure and protected.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	HANDLE DEPTH	CAPACITY	DEPOSIT DRAWER	SHELVES
HS1090KD/ED	670 x 440 x 550mm	455 x 365 x 425mm	272mm	195kg	45mm	44 Litres	104 x 289 x 121mm	0
HS1091KD/ED	670 x 650 x 550mm	455 x 575 x 425mm	615mm	264kg	45mm	112 Litres	104 x 517 x 124mm	0
HS1092KD/ED	840 x 650 x 550mm	615 x 575 x 425mm	615mm	293kg	45mm	149 Litres	104 x 517 x 124mm	1
HS1093KD/ED	1040 x 650 x 550mm	815 x 575 x 425mm	615mm	350kg	45mm	199 Litres	104 x 517 x 124mm	2



\* The internal drawer reduces the internal height by 200mm.



HS1090KD

HS1090ED

\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

# UF0600 SERIES TARVOS UNDERFLOOR SAFES (SQUARE DOOR)




**THE PHOENIX TARVOS (SQUARE DOOR) UF0600 SERIES** underfloor security safes has been designed to meet the requirements for a secure yet hidden safe, and comes with 4 different cash cover options.

- **SECURITY PROTECTION** – The UF0600 Series come in two sizes, 9 inch and 12 inch cubes, providing cover from £2,000 cash up to £100,000 for valuables.
- **LOCKING** – **UF0620** - Supplied with a high security 7 lever key lock. **UF0640, UF0660 & UF0610** – Supplied with a high security double-bitted VdS Class I key-lock. Each unit is supplied with 2 keys.
- **DOOR CONSTRUCTION** – **UF0620** – Hardened plate with an angled dead bolt. **UF0640** – hardened 6mm thick plate and 25mm diameter spring loaded front bolt and 25mm diameter dead bolt. **UF0660** – hardened 6mm thick plate and two 25mm diameter spring loaded front bolts, two 20mm diameter spring loaded re-lockers that will be set off if the lock is tampered with and a 25mm diameter dead bolt. **UF0610** – hardened 6mm thick plate and copper laminate between two 10mm mild steel plates to give ABP protection, two 25mm diameter spring loaded front bolts, two 20mm diameter spring loaded re-lockers that will be set off if the lock is tampered with and a 25mm diameter dead bolt.
- **BODY CONSTRUCTION** – The neck is constructed of 5mm mild steel tube 4" high. 10mm thick mild steel top plate, 2mm thick mild steel body and 3mm thick mild steel base all with continuously welded seams.
- **SPECIAL FEATURES** – **UD0600KD** comes complete with a deposit facility that incorporates an anti-fish device to prevent retrieval through the deposit tube and supplied with a selection of deposit capsules.
- **INTERIOR** – The Tarvos has a fully flocked interior to protect valuables from damage.
- **FIXING** – Fixing instructions are available to fit the unit into a solid concrete floor.
- **COLOUR** – Finished in attractive gold hammer paint.

MODEL NUMBER	CASH COVER	WEIGHT	BODY HEIGHT	NECK HEIGHT	EXTERNAL HEIGHT	EXTERNAL WIDTH (WITH LIP)	EXTERNAL DEPTH (WITH LIP)	EXTERNAL BODY (WITHOUT LIP)	INTERNAL CUBE	CAPACITY	DOOR OPENING
UF0621K	£2k	14.5kg	245mm	100mm	345mm	245mm	245mm	232mm	228mm <sup>3</sup>	11 Litres	168x168mm
UF0622K	£2k	21.5kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm <sup>3</sup>	25 Litres	168x168mm
UF0623KD	£2k	22kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm <sup>3</sup>	25 Litres	168x168mm
UF0641K	£4k	16kg	245mm	100mm	345mm	245mm	245mm	232mm	228mm <sup>3</sup>	11 Litres	168x168mm
UF0642K	£4k	22.5kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm <sup>3</sup>	25 Litres	168x168mm
UF0643KD	£4k	23.5kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm <sup>3</sup>	25 Litres	168x168mm
UF0661K	£6k	16.5kg	245mm	100mm	345mm	245mm	245mm	232mm	228mm <sup>3</sup>	11 Litres	168x168mm
UF0662K	£6k	23kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm <sup>3</sup>	25 Litres	168x168mm
UF0663KD	£6k	23.5kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm <sup>3</sup>	25 Litres	168x168mm
UF0611K	£10k	19.5kg	245mm	100mm	345mm	245mm	245mm	232mm	228mm <sup>3</sup>	11 Litres	168x168mm
UF0612K	£10k	26.5kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm <sup>3</sup>	25 Litres	168x168mm
UF0613KD	£10k	27kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm <sup>3</sup>	25 Litres	168x168mm

1. Dimensions of the deposit chutes are 100mm high x 56mm outside diameter x 50mm inside diameter.

2. Plastic capsules that come with the deposit safes measure 107mm high x 36mm outside diameter.



\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

# UF0900 SERIES CHARON UNDERFLOOR SAFES (ROUND DOOR)



9" CUBE



12" CUBE



12" CUBE WITH DEPOSIT


**THE PHOENIX CHARON (ROUND DOOR) UF0900 SERIES** underfloor security safes has been designed to meet the requirements for a secure yet hidden safe, and comes with 4 different cash cover options.

- **SECURITY PROTECTION** – The **UF0900** Series come in two sizes, 9 inch and 12 inch cubes, providing cover from £4,000 cash up to £175,000 for valuables.
- **LOCKING** – Supplied with a high security double-bitted VdS Class I key-lock and supplied with two keys.
- **DOOR CONSTRUCTION** – **UF0940 & UF0960** – 25mm thick high quality mild steel. **UF0910** – 37mm thick high quality mild steel with copper laminate between two pieces of 10mm mild steel providing ABP protection. **UF0970** – 45mm thick high quality stainless steel with copper laminate between two pieces of 15mm stainless steel providing ABP protection. All units have hardened dowels and balls protecting moving parts with a hardened 6mm back plate.
- **BODY CONSTRUCTION** – The neck is constructed of 6mm mild steel tube 4" high on the **UF0940, UF0960 & UF0910** and 6" high on the **UF0970** safes. 10mm thick mild steel top plate, 2mm thick mild steel body and 3mm thick mild steel base all with continuously welded seams.
- **SPECIAL FEATURES** – **UD0900KD** comes complete with a deposit facility that incorporates an anti-fish device to prevent retrieval through the deposit tube and supplied with a selection of deposit capsules.
- **INTERIOR** – The Charon has a fully flocked interior to protect valuables from damage.
- **FIXING** – Fixing instructions are available to fit the unit into a solid concrete floor.
- **COLOUR** – Finished in attractive red paint.

MODEL NUMBER	CASH COVER	WEIGHT	BODY HEIGHT	NECK HEIGHT	EXTERNAL HEIGHT	EXTERNAL WIDTH (WITH LIP)	EXTERNAL DEPTH (WITH LIP)	EXTERNAL BODY (WITHOUT LIP)	INTERNAL CUBE	CAPACITY	DOOR OPENING
UF0941K	£4k	15kg	245mm	100mm	345mm	245mm	245mm	232mm	228mm <sup>3</sup>	11 Litres	140mm DIA
UF0942K	£4k	21.5kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm <sup>3</sup>	25 Litres	140mm DIA
UF0943KD	£4k	22.5kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm <sup>3</sup>	25 Litres	140mm DIA
UF0961K	£6k	15.5kg	245mm	100mm	345mm	245mm	245mm	232mm	228mm <sup>3</sup>	11 Litres	140mm DIA
UF0962K	£6k	22kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm <sup>3</sup>	25 Litres	140mm DIA
UF0963KD	£6k	23kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm <sup>3</sup>	25 Litres	140mm DIA
UF0911K	£10k	17kg	245mm	100mm	345mm	245mm	245mm	232mm	228mm <sup>3</sup>	11 Litres	140mm DIA
UF0912K	£10k	23.5kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm <sup>3</sup>	25 Litres	140mm DIA
UF0913KD	£10k	24.5kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm <sup>3</sup>	25 Litres	140mm DIA
UF0972K	£17½k	25.5kg	312mm	150mm	462mm	320mm	320mm	300mm	294mm <sup>3</sup>	25 Litres	140mm DIA
UF0973KD	£17½k	26.5kg	312mm	150mm	462mm	320mm	320mm	300mm	294mm <sup>3</sup>	25 Litres	140mm DIA

1. Dimensions of the deposit chutes are 100mm high x 56mm outside diameter x 50mm inside diameter.

2. Plastic capsules that come with the deposit safes measure 107mm high x 36mm outside diameter.



\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

# GS8000 SERIES LACERTA GUN SAFES

THE PHOENIX LACERTA SERIES is a range of high quality gun safes designed for the secure storage of 1, 3 or 6 guns.

- **SECURITY PROTECTION** – Meets British Standard BS7558/92. 100% Police Approved.
- **NO. OF GUNS** –  
GS8000K = 1  
GS8001K = 3  
GS8002K = 6
- **LOCKING** – Two high security 7 lever locks supplied with two double bitted keys.
- **CONSTRUCTION** – Galvanised steel body and door. High density foam divider and floor mat.
- **FIXING** – Ready prepared for fixing to the floor or wall, with fixing bolts supplied.
- **COLOUR** – Finished in a high quality durable metallic graphite paint.



GS8000K

GS8001K

GS8002K



MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	NUMBER OF GUNS	WEIGHT
GS8000K	1300 x 200 x 150mm	1290 x 195 x 120mm	1	22Kgs
GS8001K	1300 x 220 x 200mm	1290 x 215 x 165mm	3	23Kgs
GS8002K	1300 x 350 x 300mm	1290 x 345 x 265mm	6	35Kgs



# GS8015 SERIES TUCANA GUN SAFES



**THE PHOENIX TUCANA SERIES** is a range of high quality gun safes designed for the secure storage of 3, 5 or 7 guns.

- **SECURITY PROTECTION** – Meets British Standard BS7558/92. 100% Police Approved.
- **CERTIFICATION** – European EN14450 S1 certified giving cash cover of £2,000 or valuables cover of £20,000.\*
- **NO. OF GUNS** –  
GS8015K = 3  
GS8016K = 5  
GS8017K = 7
- **LOCKING** – High security 7 lever lock supplied with 2 double bitted Class I keys, 3 way locking bolts.
- **AMMO BOX** – Internal ammunition box (2 keys supplied).
- **CONSTRUCTION** – Galvanised steel body and door. High density foam divider and floor mat.
- **FIXING** – Ready prepared for fixing to the floor or wall, with fixing bolts supplied.
- **COLOUR** – Finished in a high quality durable metallic graphite paint.



GS8015K

GS8016K

GS8017K



MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	NUMBER OF GUNS	WEIGHT	AMMO BOX DIMENSIONS
GS8015K	1450 x 210 x 280mm	1440 x 205 x 230mm	3	47Kgs	145 x 200 x 185mm
GS8016K	1450 x 255 x 345mm	1440 x 250 x 295mm	5	57Kgs	145 x 250 x 250mm
GS8017K	1450 x 375 x 345mm	1440 x 370 x 295mm	7	69Kgs	145 x 370 x 250mm

Ammo box reduces internal height by 175mm.

\* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



## CB0100 SERIES CASH BOXES



A sturdy range of conveniently sized cash boxes for domestic or office use.

- **LOCKING** – Fitted with a high quality key lock supplied with two keys.
- **SIZES** – Three different sizes available to suit every need.
- **FEATURES** – Supplied with plastic divider tray for coins and notes and convenient external carrying handle.
- **COLOUR** – Finished in a high quality scratch resistant powder coat red paint.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D
CB0101K	90 x 200 x 160mm
CB0102K	90 x 250 x 180mm
CB0103K	90 x 300 x 240mm



## KC0020 SERIES KEY BOXES



A high quality range of key boxes with capacities ranging from 20-93 keys. Ideal for the home or office.

- **LOCKING** – Fitted with a high quality key lock supplied with two keys.
- **FIXING** – Ready prepared for fixing to the wall with fixings supplied.
- **COLOUR** – Finished in a high quality scratch resistant powder coat grey paint.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	CAPACITY
KC0026K	200 x 160 x 80mm	20 keys
KC0027K	250 x 180 x 80mm	48 keys
KC0028K	300 x 240 x 80mm	93 keys



# KS SERIES KEY STORE



KS0001C Key Store



KS0003C Key Store  
with weatherproof cover

**THE PHOENIX KS Series** gives you control of door keys, padlock keys, car keys etc. in an attractive secure location that can be easily mounted to a wall. Ideal for house rental/Airbnb, social care & homes, offices, schools, factories, construction sites and much more.

- **LOCKING** – Simple to change 4 digit dial combination lock (KS0001C) and easy to use changeable push button lock (KS0003C).
- **FIXING** – Ready prepared for wall fixing (bolts supplied).
- **CONSTRUCTION** – High strength cast alloy.
- **FEATURES** – Internal magnetic hook (KS0001C) and full weatherproof rubber cover (KS0003C).

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	WEIGHT
KS0001C	100 x 65 x 35mm	0.4kg
KS0003C	140 x 95 x 70mm	0.85kg






**THE PHOENIX PALM** is a high quality smart key safe, ideal for House Rentals/Airbnb, Social Care & Homes, Parcel Deliveries, Offices, Schools, Factories, Construction Sites and much more with its Mobile App Control. An easier way to manage your keys, and enjoy your life with peace of mind.

- **LOCKING** – Class C Lock with an illuminating acrylic touch pad including Bluetooth, 100 set Pin Code capacity & Mobile App control. Low power consumption allows long battery life (up to a year).
- **WATER RESISTANCE** – IP65 resistance rating, providing airtight protection against the weather.
- **CONSTRUCTION** – Strong 2.5mm thick body and durable Zinc Alloy construction. Able to operate in temperatures between -45°C to 60°C.
- **FIXING** – 3 Point pre-prepared fixing holes for wall mounting with bolts supplied.
- **CONNECTIVITY** – Sync your phone to the Palm using Bluetooth, no Wi-Fi connection required.
- **APP CONTROL** – Ideal for Airbnb, Social Care & homes. 2 Seconds **Rapid Unlock**: Hold the 'Lock' sign for 2 seconds to quickly Unlock/Lock. **One-Time Code (OTC)**: Remotely create a one-time code, valid for 5 min or 6 hours. **Periodic Code**: Remotely create a periodic code which can be used multiple times during a valid time window. Compatible with both IOS & Android.
- **SPECIAL FEATURES** – Emergency Type-C power port at the bottom to change the batteries. **KS0211EC** – Supplied with a 900mm long stainless steel security cable (with outer coating to prevent scratching) to secure around a fixed object. **KS0211ES** – Supplied with a SUS 304 Steel Padlock Shackle (with vinyl coating to prevent scratching) to secure around a fixed object. Shackle is 95mm in length with a 35mm width clearance.
- **FINISH** – Finished in a high quality anti-corrosion Black powder coat.

MODEL NUMBER	EXTERNAL DIMENSIONS (Diameter x Depth)	INTERNAL DIMENSIONS H x W x D	WEIGHT
KS0211E	100 x 50mm	60 x 90 x 15mm	0.5kg
KS0212EC	100 x 50mm	60 x 90 x 15mm	0.6kg
KS0213ES	100 x 50mm	60 x 90 x 15mm	0.6kg

\*KS0211EC = 900mm Steel Cable / KS0211ES – Add 95mm in height with Padlock Shackle Added





# KS0030 SERIES CYGNUS KEY DEPOSIT SAFES



OVERRIDE KEYS  
 KS0030E ONLY



KEY DEPOSIT SLOT



KS0031E



KS0032K



KS0033



KS0035

**THE PHOENIX CYGNUS SERIES OF KEY DEPOSIT SAFES** are available in capacities of 30-700 keys and all come with a key deposit facility. Ideal for home, office, schools, garages and office blocks.

- **LOCKING** – **KS0030K** – Fitted with a high quality key lock and comes complete with two keys. **KS0030E** – Advanced 'user friendly' electronic locking with anti-tamper or bounce solenoid locking system. For added peace of mind these safes are fitted with a key override facility should the code be misplaced (2 keys supplied).
- **SECURITY** – When bolted to a wall these key safes provide defence against burglaries aimed at stealing car keys, house keys etc.
- **FIXING** – Ready prepared for fixing to the wall with bolts supplied.
- **SPECIAL FEATURES** – Key deposit slot, allowing keys to be deposited without the need to open the safe.
- **KEY TAGS** – Supplied complete with a selection of coloured key rings
- **COLOUR** – Finished in a high quality scratch resistant white paint RAL9003.



MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DEPOSIT SLOT H x W x D	WEIGHT	CAPACITY
KS0031K/E	280 x 300 x 100mm	275 x 295 x 80mm	55 x 45 x 25mm	6.5kg	30 keys
KS0032K/E	360 x 300 x 100mm	350 x 275 x 80mm	55 x 45 x 25mm	7.5kg	48 keys
KS0033K/E	660 x 430 x 130mm	655 x 425 x 110mm	55 x 45 x 25mm	20kg	144 keys
KS0034E	755 x 580 x 250mm	745 x 570 x 230mm	55 x 45 x 25mm	43kg	300 keys
KS0035E	760 x 580 x 280mm	750 x 570 x 260mm	55 x 45 x 25mm	46kg	500 keys
KS0036E	760 x 580 x 330mm	750 x 570 x 310mm	55 x 45 x 25mm	49kg	700 keys



KS0030K



KS0030E

# KC0600 SERIES COMMERCIAL KEY CABINETS



*smart*  
**LOCK**




A series of high quality Key Cabinets ranging from 42 hook up to 600 hook units.

- **LOCKING – KC0600K** – Manufactured with a high quality cylinder lock supplied with 2 keys.  
**KC0600E** – Fitted with a high quality electronic code lock, programmable with users own 4 digit code which can easily be changed when required.  
**KC0600N** – Fitted with the NetCode 1000 lock allowing temporary access to the cabinets via the web-based NetCode Portal. NetCode is activated prior to the lock owner shipping and installing at a remote site. The NetCode Portal allows you to register and set up your account, activate your locks and generate time-sensitive codes. Using time-sensitive codes is a more secure way to grant access as the code will not work outside a designated timeslot. Generated codes can be sent by email or SMS to any email account or mobile phone.

**KC0600P** – Fitted with a Euro cylinder lock case. Optional (SP0600/Euro Lock) 35mm cylinder available separately, allowing you to add to your key system.



- **SPECIAL FEATURES** – Each unit comes with adjustable hook bars and number labels to suit. The 400 and 600-hook units are double door cabinets.
- **FIXING** – The cabinets have pre-drilled fixing holes for wall mounting.
- **FINISH** – Finished in a high quality durable powder coated finish.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	WEIGHT	HOOKS
KC0601K/E/N/P	350 x 270 x 80mm	4kg	42
KC0602K/E/N/P	450 x 300 x 80mm	6kg	64
KC0603K/E/N/P	550 x 380 x 80mm	7kg	100
KC0604K/E/N/P	550 x 380 x 140mm	11kg	200
KC0605K/E/N/P	550 x 380 x 205mm	14kg	300
KC0606K/E/N	550 x 730 x 140mm	20kg	400
KC0607K/E/N	550 x 730 x 205mm	28kg	600




# KC0300 SERIES DEEP KEY CABINETS

**THE PHOENIX DEEP KEY CABINETS** have been designed to accommodate larger or more bulky keys, which make them ideal for the motor trade or estate agents, where larger keys or more than one key is used.



- **LOCKING – KC0300K** – Manufactured with a high quality cylinder lock supplied with 2 keys. **KC0300E** – An economical Electronic Code lock. A simple 10 digit keypad gives the owner the option of entering 4-digit codes, and is easy to use. **KC0300M** – A Mechanical push button combination code lock. The lock has over 8,000 combination differs, and comes with a push-shut latch operation.

- **SPECIAL FEATURES** – Each unit comes complete with adjustable hook bars, key tabs, key rings, number labels to suit the hook bars and removable control indexes.
- **FIXING** – The cabinets have pre-drilled fixing holes for wall mounting.



MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	CAPACITY/ HOOKS
KC0301K/E/M	350 x 380 x 140mm	348 x 378 x 138mm	340mm	5kgs	50
KC0302K/E/M	550 x 380 x 140mm	548 x 378 x 138mm	360mm	10kgs	100
KC0303K/E/M	550 x 730 x 140mm	548 x 728 x 138mm	365mm	17kgs	200

# KC0500 SERIES DEEP PLUS & PADLOCK KEY CABINETS

**THE PHOENIX DEEP PLUS & PADLOCK KEY CABINETS** have been designed to accommodate larger bunches of keys or padlocks. Each hook is longer, double spaced and staggered, to give the required space for this application.

- **LOCKING – KC0500K** – Manufactured with a high quality cylinder key lock supplied with 2 keys. **KC0500E** – Economical Electronic Code lock with a simple 10 digit keypad gives the owner the option of entering 4-digit codes, and is easy to use. **KC0500M** – Mechanical push button combination code lock. The lock has over 8,000 combination differs, and comes with a push-shut latch operation.
- **SPECIAL FEATURES** – Each unit comes complete with adjustable hook bars, key tabs, key rings, number labels to suit the hook bars and removable control indexes.
- **FIXING** – The cabinets have pre-drilled fixing holes for wall mounting.
- **FINISH** – Finished in a durable powder coated finish.



MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	CAPACITY/ HOOKS
KC0501K/E/M	350 x 380 x 140mm	348 x 378 x 138mm	340mm	6kgs	24
KC0502K/E/M	550 x 380 x 140mm	548 x 378 x 138mm	360mm	10kgs	50
KC0503K/E/M	550 x 730 x 140mm	548 x 728 x 138mm	360mm	17kgs	100




# KC0070 SERIES EXTRA SECURITY KEY CABINETS



THE PHOENIX EXTRA SECURITY KEY CABINETS are high quality Key Cabinets ranging from 50 hooks up to 1500 hook units.


- **NUMBER OF KEY HOOKS** – 50 to 1500.
- **LOCKING** – **KC0070K** – Fitted with a high quality half euro cylinder lock and supplied with 3 keys. **KC0070E** – Fitted with a high quality electronic lock with key override facility. Tested in accordance with BS EN1634-1 2008. Programmable with a 4-6 digit code and can store up to 80 user codes. Tamper time out and low battery warning. **KC0070M** – Fitted with a high quality mechanical push button combination lock. Tested in accordance with BS EN1634-1 2008. The lock has over 8,000 combination differs.
- **CONSTRUCTION** – Solid square cornered construction and 2.5mm thick steel plate.
- **SPECIAL FEATURES** – Each unit comes with adjustable hook bars, key tags, rings, number labels and a removable control index. The KC0076 & KC0077 are two large freestanding units with 1000 & 1500 key hooks, 180 degree door opening and Safe style hinges.
- **FIXING** – The cabinets have pre-drilled fixing holes for wall mounting.
- **FINISH** – Finished in a high quality durable powder coated finish.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	WEIGHT	HOOKS
KC0071K/E/M	350 x 380 x 80mm	11kg	50
KC0072K/E/M	550 x 380 x 80mm	17kg	100
KC0073K/E/M	550 x 380 x 140mm	24kg	200
KC0074K/E/M	550 x 730 x 140mm	35kg	400
KC0075K/E/M	550 x 730 x 205mm	45kg	600
KC0076K/E/M	1300 x 730 x 250mm	110kg	1000
KC0077K/E/M	1500 x 730 x 250mm	130kg	1500





KC0081



KC0082



KC0083

**THE PHOENIX KEY CONTROL CABINETS** are high quality Key Cabinets providing mechanical access control for keys.

- **NO. OF RETENTION PEGS** – 25, 50 or 100.
- **NO. OF KEY HOOKS** – 10, 30 or 50.
- **LOCKING** – **KC0080M** – Fitted with a high quality mechanical push button combination lock. Tested in accordance with BS EN1634-1 2008. The lock has over 8,000 combination differs. **KC0080E** – Fitted with a high quality electronic lock with key override facility. Tested in accordance with BS EN1634-1 2008. Programmable with a 4-6 digit code and can store up to 80 user codes. Tamper time out and low battery warning.
- **CONSTRUCTION** – Solid square body construction with 2.5mm thick steel body and 3mm door.
- **SPECIAL FEATURES** – Peg in, peg out key control board for added key accountability. Supplied with colour coded square key tags. Extra key hooks on the door.
- **FIXING** – The cabinets have pre-drilled fixing holes for wall mounting.
- **FINISH** – Finished in a high quality durable powder coated finish.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	WEIGHT	RETENTION PEGS	ACCESS PEGS	KEY HOOKS
KC0081M/E	310 x 550 x 210mm	18kg	25	10	10
KC0082M/E	490 x 550 x 210mm	28kg	50	25	30
KC0083M/E	850 x 550 x 210mm	45kg	100	50	50



KC0070M



KC0080E

# MB0120 SERIES ESTILO LETTER BOXES



MB0121KA




MB0122KA



MB0123KS



MB0124KS




MB0125KS

**THE ESTILO MB0120 SERIES** is a range of secure, ultra stylish letter boxes. Durable and attractive, the Estilo range is ideal for the modern home.

- **LOCKING** – Fitted with a high quality key-lock and supplied with 3 keys.
- **FIXING** – Suitable for wall mounting with pre-drilled holes and fixings supplied.
- **CONSTRUCTION** – A heavy duty construction allows a lengthier product lifespan when compared to other thinner-walled letter boxes.
- **SPECIAL FEATURE** – Newspaper holder at the base. MB0125KS has a light panel that illuminates your house number at night (numbers provided), powered by solar energy with rechargeable battery backup.
- **FINISH** – A zinc galvanised coating prevents oxidation of the letter box and gives it a corrosion resistant, weather-proof and rust proof finish.
- **COLOUR** – Finished in a high quality graphite grey powder coating (MB0121KA & MB0122KA) or stainless steel (MB0123KS, MB0124KS & MB0125KS).

MODEL NUMBER	LOADING	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	LETTERSLOT H x W	WEIGHT
MB0121KA	Top Loading	370 x 370 x 105mm	255 x 360 x 90mm	35 x 335mm	3kg
MB0122KA	Front Loading	450 x 350 x 105mm	315 x 330 x 90mm	38 x 325mm	3kg
MB0123KS	Top Loading	370 x 370 x 105mm	255 x 360 x 90mm	35 x 335mm	3kg
MB0124KS	Top Loading	370 x 370 x 105mm	255 x 360 x 90mm	35 x 335mm	3kg
MB0125KS	Top Loading	370 x 370 x 105mm	255 x 360 x 90mm	35 x 335mm	3kg



Newspaper holder



# MB SERIES TOP-LOADING LETTER BOXES



**MB SERIES** Top-loading letter-slot deposit.

- **LOCKING** – Fitted with a high quality key-lock and supplied with two keys.
- **FIXING** – Suitable for wall mounting with pre-drilled holes and fixings supplied.
- **CONSTRUCTION** – A heavy duty construction allows a lengthier product lifespan when compared to other thinner-walled letter boxes.

- **FINISH** – A zinc galvanised coating prevents oxidation of the mail box and gives it a corrosion resistant, weather-proof and rust proof finish.
- **COLOUR** – All models come in a high quality, durable black powder coated finish.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	LETTERSLOT H x W	WEIGHT
CASA MB0111KB	390 x 365 x 115mm	36 x 358mm	3kg
VILLA MB0114KB	390 x 270 x 115mm	38 x 260mm	2kg



# MB SERIES FRONT-LOADING LETTER BOXES



LIBRO



LETRA



CLASICO

**MB SERIES** Front-loading letter-slot deposit.

- **LOCKING** – Fitted with a high quality key-lock and supplied with two keys.
- **SPECIAL FEATURES** – Letra models are stackable, making them ideal for multi occupancy residences and office blocks.
- **FIXING** – Suitable for wall mounting with pre-drilled holes and fixings supplied.
- **CONSTRUCTION** – A heavy duty construction allows a lengthier product lifespan when compared to other thinner-walled letter boxes.

- **FINISH** – A zinc galvanised coating prevents oxidation of the letter box and gives it a corrosion resistant, weather-proof and rust proof finish.
- **COLOUR** – All models available in either a black, green or white powder coated finish.



MODEL NUMBER	COLOUR (KB) (KG) (KW)	EXTERNAL DIMENSIONS H x W x D	LETTERSLOT H x W	WEIGHT
LIBRO MB0115	● ● ●	350 x 390 x 205mm	46 x 324mm	4.5kg
LETRA MB0116	● – ●	320 x 215 x 85mm	30 x 176mm	2kg
CLASICO MB0117	● – –	370 x 365 x 135mm	40 x 216mm	3.5kg



LETRA  
(STACKED)